



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Callback User's Guide

Preview and Disposition Scenarios

Preview and Disposition Scenarios

If you implement a custom agent desktop and wish to integrate the Preview and Disposition scenarios into your Callback application, you need to configure preview and disposition options in your callback service. If you implement the Disposition scenario, you also need to [create an Office Hours service](#).


After you do this, your custom agent application will receive the following UserEvent events from Orchestration Server:

- **CallbackInvitationEvent**—The callback invitation that contains the attached data for the preview. The invitation includes the list of actions that the agent can perform—accept, reject, or cancel. Your Agent application displays the actions and the attached data for the preview to the agent, then submits a Preview Response to your Callback service.
- **CallbackDispositionEvent**—The callback disposition event that provides the URL to which you submit the disposition selected by the agent. Your Agent application then submits a Disposition Response to your Callback service through this URL.

If the agent needs to reschedule the callback, he or she can select the `retry_later` disposition option provided in the disposition event. This event also provides the `business_hours_url` that lists the available timeslots to reschedule.

Preview and Disposition Event Flow

This diagram shows the sequence of events involved in your callback service and in your Agent Desktop application if the agent receives a preview invitation and submits a disposition call after the call is done.



Steps to Handle a Preview Request

If you configure the preview feature, as detailed below, the Callback service sends a preview request to your Agent Desktop application. This request is a user event that includes the preview-specific data in the event's udata and extensions attributes. Your Agent Desktop application can use this data to:

- Show the available action(s) in the preview dialog.
- Use the provided URLs to submit their response(s) to the action(s) they select.

Configure the Preview Request Feature

To implement a preview scenario, check your settings:

1. Add an ORS Application (CME) connection to the agent's switch T-Server by using Configuration Manager or Genesys Administrator Extension (GAX).
2. In the Service Management UI, set the callback service options to the following values:
 - `_agent_preview=true` to enable the preview feature
 - `_preview_userevent_mediatype = 0` to set the voice media (default)
 - `_agent_preview_allow_reject = [0..n]`

- If `_agent_preview_allow_reject=0`, the reject option will not be displayed to agents.
- Any other values indicate how many times the call can be rejected by agents, to make sure that the call cannot be rejected indefinitely.
- `_agent_preview_timeout = 30`—Specify the number of seconds that the agent will be given before the preview times out. If the limit is exceeded, GMS assumes that the agent has rejected the request. (Note that the value shown here is only an example.)
- `_urs_udata_xfer_keys = ""` and `_attach_udata = ""`—List of KVPs available within the user-data key of the `CallbackInvitationEvent` event.

Important

Starting in 8.5.105, the user data contains all of the KVPs attached to the real call.

Wait for the `CallbackInvitationEvent`

If the Preview Request Feature is configured, ORS will use the Tlib/UserEvent protocol to send a preview request invitation for Callback as a `CallbackInvitationEvent` UserEvent to your desktop application.

- **UserEvent Name:** `CallbackInvitationEvent`
- **Limitations:** The expected target is an Agent DN.

This event includes the response-options list of actions that the preview invitation dialog should display to the agent: accept, reject, or cancel (xcancel). For each action, the `url` property indicates the URL that the event response will be submitted to.

Example of `CallbackInvitationPreview` UserEvent

```
@12:38:49.5410 [0] 8.1.101.10 distribute_user_event: message EventUserEvent
  AttributeEventSequenceNumber 00000000000018eb
  AttributeCustomerID 'Environment'
  AttributeTimeinUsecs 541000
  AttributeTimeinSecs 1467229129 (12:38:49)
  AttributeReferenceID 2223
  AttributeUserData [1438] 00 03 03 00..
    'display-data'(list) '1' 'v1'
                        '2' 'v2'
                        '3' 'v3'
    'response-options'(list) 'accept'(list) 'button' 'accept'
                          'url' 'http://2XX.XX.1XX.1XX:8080/genesys/1/ors//scxml/session/
UGHKD84S9H6M995N2PQV70FN3000002F/request/accept_preview'
    'reject'(list) 'button' 'reject'
    'url' 'http://2XX.XX.1XX.1XX:8080/genesys/1/ors//scxml/session/
UGHKD84S9H6M995N2PQV70FN3000002F/request/reject_preview'
    'xcancel'(list) 'button' 'xcancel'
    'url' 'http://2XX.XX.1XX.1XX:8080/genesys/1/ors//scxml/session/
UGHKD84S9H6M995N2PQV70FN3000002F/request/cancel_preview'
    'user-data'(list) 'GMS_Call_Direction' 'USERTERMINATED'
                    'GMS_Cb_Desired_Time' '2016-06-29T19:38:39.788Z'
                    'GMS_Cb_Type' 'immediate'
                    'GMS_Customer_Number' '5115'
```

```
'GMS_Orig_Service_ID'    'test123'
'GMS_ROUTABLE'           '0'
'GMS_RP_Used'            '8999@SIP_Switch'
'GMS_ServiceName'        'samples_dev'
'GMS_Service_Data_ID'    '445-748c2c27-2010-47f7-91cc-49d19a7734c3'
'GMS_Service_ID'         '445-36922082-f275-4d44-8200-92bc5c49a965'
'GMS_Target_Selected'    '{ "agent": "KSippola", "dn": "7001", "id": "Customer_Service",
                           "place": "SIP_Server_Placel", "resource": "7001", "return": "target", "stat_value": "0",
                           "switch": "SIP_Switch", "type": "GA", "vq": "SIP_VQ_SIP_Switch"}'
'GMS_UserTerminated_First_Connect_Party' 'AGENT'
'GMS_VQ_Used'            'SIP_VQ_SIP_Switch'
'RPVQID'                 'I5Q83URTD0FT2BTG0M03PT0P40000DT'
'RTargetAgentGroup'      'Customer_Service'
'RouterData70'           '({ "t": "1467229122 158" })'
'first_name'             'John'
'last_name'              'Doe'
'location_lat'           '37.2638324'
'location_long'          '-122.02301459999998'
AttributeExtensions      [118] 00 04 00 00..
'event'                  'CallbackInvitationEvent'
'invitation-timeout'     '60'
'session'                'UGHKD84S9H6M995N2PQV70FN3000002F'
'source'                 'ORS'
AttributeMediaType       '0'
AttributeUserEvent       EventUserEvent
AttributeThisDN          '7001'
```

[+] Show CallbackInvitationPreview as a JSON schema

```
// JSON Schema for udata passed in CallbackInvitationPreview userevent
{
  "title": "CallbackInvitationPreview Udata",
  "type": "object",
  "properties": {
    "response-options": {
      "type": "object",
      "properties": {
        "responseOption1": {
          "type": "object",
          "properties": {
            "button": "accept",
            "url": ".../request/accept_preview"
          }
        },
        "responseOption2": {
          "type": "object",
          "properties": {
            "button": "reject",
            "url": ".../request/reject_preview"
          }
        },
        "responseOption3": {
          "type": "object",
          "properties": {
            "button": "xcancel",
            "url": ".../request/cancel_preview"
          }
        }
      },
      "required": ["responseOption1", "responseOption3"]
    }
  }
}
```

```
    },
    "display-data": {
      "type": "array",
      "items": {
        "type": "string"
      }
    },
    "user-data": {
      "type": "object",
      "properties": {
        . . .
      }
    }
  },
  "required": ["response-options", "display-data"]
}

// JSON Schema for extentions passed in CallbackInvitationPreview userevent
{
  "title": "CallbackInvitationPreview Extensions",
  "type": "object",
  "properties": {
    "source": {
      "enum": ["ORS"]
    },
    "event": {
      "enum": ["CallbackInvitationEvent"]
    },
    "session": {
      "type": "string"
    },
    "invitation-timeout": {
      "type": "string" // _agent_preview_timeout
    }
  },
  "required": ["source", "event", "session", "invitation-timeout"]
}
```

Send Preview Response

The Agent Desktop application must send the Preview Response after the agent selects one of the actions presented in the agent preview dialog.

- **Description:** Preview response
- **Protocol:** HTTP
- **Method:** POST
- **URL:** Value of the url property received in the CallbackInvitationEvent user event corresponding to the agent-selected option.
- **Content-type:** application/json
- **Body:** None
- Response from callback: HTTP 200 - Response received: (Accept|Reject|Cancel)

Reduce Processing Delays in Scheduled Preview Callback Scenario

When GMS schedules a preview callback, at a given time T, GMS sends the request to ORS at time T and ORS sends the `CallbackInvitationEvent` request to SIP Server at T+60 up to T+90 seconds. You can use the following options to reduce the processing delay:

- Configure `_wait_for_user_confirm = false` to disable the user confirmation for this service.
- Configure `_max_number_of_user_availability_confirmation_attempts` to limit the number of retries in your Callback service.
- Configure `_user_confirm_timeout` to a smaller value to reduce the waiting time for the user confirmation timeout.

Steps to Handle the Disposition Response

If you configure the Disposition feature, the Callback service will send a disposition request to the Agent Desktop application. The Agent Desktop application uses information retrieved from the user event data and the extension attributes to display the disposition dialog to the agent. It then replies with the disposition selected by the agent, as discussed in greater detail in the [Disposition response](#) section.

Important

You must [create an Office Hours service](#) before configuring the Disposition feature.

Configure the Disposition Feature

To enable the Disposition feature, configure the following settings:

1. Add an ORS Application connection to the Agent Switch T-Server Application in Configuration Manager or in Genesys Administrator Extension.
2. In the Service Management UI, set the callback service options to the following values:
 - `_enable_disposition_dialog = true` to enable the disposition dialog; this option is false by default to disable the feature.
 - `_disposition_userevent_mediatype = 0` (voice is default)
 - `_agent_disposition_timeout = 45` to set the duration in seconds for receiving an agent response. If this time elapses with no reply from the agent, GMS sets the disposition to `COMPLETED` with the reason `NO_AGENT_DISPOSITION`.
 - Set the `_business_hours_service` option with the name of your Office Hours service.

Wait for the Disposition Request

Once the callback is completed, if the disposition feature is enabled, GMS sends a Disposition request as a `CallbackDispositionEvent` UserEvent using the Tlib protocol:

- **Description:** Disposition request
- **Protocol:** Tlib/UserEvent
- **UserEvent Name:** CallbackDispositionEvent
- **Limitations:** The expected target is an Agent DN
- **Body:** Contains udata and extensions.

```
12:39:05.224 Trc 04541 RequestDistributeUserEvent received from [628] (00000004
Orchestration_Server 216.38.144.133:34716)
message RequestDistributeUserEvent
  AttributeThisDN      '7001'
  AttributeUserEvent    EventUserEvent
  AttributeCommunicationDN  '7001'
  AttributeMediaType    '0'
  AttributeExtensions    [121] 00 04 00 00..
    'disposition-timeout' '120'
    'event'               'CallbackDispositionEvent'
    'session'             'UGHKD84S9H6M995N2PQV70FN3000002F'
    'source'              'ORS'
  AttributeUserData     [665] 00 03 03 00..
    'config'(list) '_gms_external_base_url' 'http://216.38.144.133:8080/'
    '_service_name' 'samples_dev'
    'display-data'(list) 'business_hours_url' '$_gms_external_base_url$genesys/1/
service/callback/$_service_name$/availability?start=$desired_time$#ber-of-days=1&max-time-
slots=5'
    'completed_dispositions'
'SUCCESS,BUSY,NO_ANSWER,SIT_TONE,ANSWERING_MACHINE,CUSTOMER_NOT_KNOWN,CUSTOMER_NOT_PRESENT,WRONG_CUSTOMER_NUMBE
    'customer_number' '5115'
    'response-options'(list) 'done'(list) 'button' 'done'
    'options'          ['completed','retry_now','retry_later']
    'url'              '$_gms_external_base_url$genesys/1/ors/scxml/session/
UGHKD84S9H6M995N2PQV70FN3000002F/request/callback_disposition'
  AttributeReferenceID  2228
```

In this UserEvent:

- display-data contains the information that the Agent Desktop application needs to present the agent disposition dialog.
- business_hours_url provides the list of available timeslots in case the agent selects the retry_later disposition option.
- completed_dispositions contains the list of common dispositions. The Agent Desktop can provide its own list of dispositions.
- url contains the URL to be used for submitting the **disposition response**.

[+] Show CallbackDispositionEvent as a JSON schema

Note that the JSON schema below is provided for the sake of clarity, as this event is **always** sent as a UserEvent.

```
// JSON Schema for udata passed in CallbackDispositionEvent UserEvent
{
  "title": "CallbackDispositionEvent Udata",
  "type": "object",
  "properties": {
    "response-options": {
      "type": "object",
```



```

    "properties": {
      "responseOption1": {
        "type": "object",
        "properties": {
          "button": "done",
          "url": ".../request/callback_disposition",
          "options": {
            "enum": ["completed", "retry_now", "retry_later"]
          }
        },
        "required": ["responseOption1"]
      }
    },
    "display-data": {
      "type": "object",
      "properties": {
        "customer_number": "string",
        "business_hours_url": "/service/
callback/$_service_name$/availability?start=$desired_time$&number-of-days=1&max-time-slots=5",
        "completed_dispositions": {
          "enum": "array",
          "properties": {
            "button": "done",
            "url": ".../request/callback_disposition",
            "options": {
              "enum": ["SUCCESS", "BUSY", "NO_ANSWER", "SIT_TONE",
"ANSWERING_MACHINE", "CUSTOMER_NOT_KNOWN", "CUSTOMER_NOT_PRESENT", "WRONG_CUSTOMER_NUMBER"]
            }
          },
          "required": ["customer_number", "business_hours_url",
"completed_dispositions"]
        }
      },
      "config": { // to be used to evaluate business_hours_url specified earlier
        "type": "object",
        "properties": {
          "_gms_external_base_url": "string",
          "_service_name": "string"
        },
        "required": ["_gms_external_base_url", "_service_name"]
      }
    },
    "required": ["response-options", "display-data"]
  }
}
// JSON Schema for extensions passed in CallbackDispositionEvent UserEvent
{
  "title": " CallbackDispositionEvent Extensions",
  "type": "object",
  "properties": {
    "source": {"enum": ["ORS"]},
    "event": {"enum": ["CallbackDispositionEvent "]},
    "session": {"type": "string"},
    "disposition-timeout": {"type": "string"}},
  "required": ["source", "event", "session", "disposition-timeout"]
}

```

Send a Disposition Response

The Agent Desktop application must send the Disposition Response after the agent selects one of the dispositions presented in the agent disposition dialog and before the `_agent_disposition_timeout`

timeout occurs.

- **Description:** Disposition response
- **Protocol:** HTTP
- **Method:** POST
- **URL:** Value of the url property received in the CallbackDispositionEvent UserEvent
- **Content-type:** application/json
- **Body:**

```
// JSON Schema for agent response from callback disposition dialog
{
  "title": "HTTP POST body received from callback disposition dialog",
  "type": "object",
  "properties": {
    "disposition": {
      "enum": ["retry_later", "retry_now", "completed"],
    },
    "customer_number": "string",
    "desired_time": "string"
  },
  "required": ["disposition"] // desired_time required when disposition = "retry_later"
}
```

Callback Response:

HTTP 200 Response received: <agent response from body of the request>