GENESYS™

API Reference

Delete Record From Task Extension

5/12/2025

Delete Record From Task Extension

	PUT /services/${service_id}/task/${task_id}/extensions/${ext_n by/unique
	Available since: 8.0.200.00

Contents

Description

Deletes a single record in a multi-valued extension for a given task. In the body of the operation, you must specify the unique attributes which identify the record to delete. See Unique Attributes for further information.

Operation

Prerequisites: The extension record exists.

ID	CV.WS.SRV.24		
Method	PUT		
URL	/services/**${service_id}**/task/**${task_id}**/extensions/**${ext_name}**/delete/by/unique		
Parameter	**Type**	**Mandatory**	**Description**
URI Parameters			
${service_id}	long	yes	The service ID.
${task_id}	integer	yes	The task ID.
${ext_name}	string	yes	The name of the Task Extension to modify.
Body<ref>Unique attributes of the Task Extension record.</ref>			
<attribute n>	• string • integer • long • double • date • datetime • currency • boolean	yes	Attribute names and values of the task extension, marked as unique in the Extension Schema, and used to identify the record to delete.

Response

The Context Management Service API answers with HTTP codes for every request. The following table

shows the correct response for a successful request. See HTTP Response Codes and Errors for further details on the possible codes that this operation can return.

Response

HTTP code	204
HTTP message	No Content

Example

Operation The following operation removes the "car type" Proposal record of task 1 in service 8389.

```
PUT /services/8389/tasks/1/extensions/Proposal/by/unique
{
    "car type":"cabriolet"
}
```

Result

```
204 No Content
```