

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

List of Service Operations

List of Service Operations



Purpose: Groups the operations that your application can create for both services, states, tasks, and interaction resources.

- · Service Operations
 - Since: 8.0.100.00
 - POST /services/start
 - POST /customers/\${customer id}/services/\${service id}
 - POST /services/\${service id}/end
 - GET /services/\${service id}
 - GET /services/anonymous/\${contact key}/active
 - GET /services/anonymous/\${contact key}/completed
 - GET /services/anonymous/\${contact key}
 - GET /customers/\${customer id}/services/active
 - GET /customers/\${customer id}/services/completed
 - GET /customers/\${customer id}/services
 - Since: 8.0.200.00
 - PUT /services/\${service id}/extensions/\${ext name}
 - PUT /services/\${service id}/extensions/\${ext name}/by/unique
 - PUT /services/\${service id}/extensions/\${ext name}/delete/by/unique
- State Operations
 - Since: 8.0.100.00
 - POST /services/\${service id}/states/\${state id}/end
 - POST /services/\${service id}/states/transition
 - GET /services/\${service id}/states
 - GET /services/\${service id}/states/\${state id}
 - POST /services/\${service id}/states/start
 - Since: 8.0.200.00
 - PUT /services/\${service id}/states/\${state id}/extensions/\${ext name}
 - PUT /services/\${service id}/state/\${state id}extensions/\${ext name}/by/unique
 - PUT /services/\${service id}/states/\${state id}/extensions/\${ext name}/delete/by/unique
- · Task Operations

API Reference 2

- Since: 8.0.100.00
 - POST /services/\${service id}/tasks/\${task id}/end
 - GET /services/\${service id}/tasks
 - GET /services/\${service id}/tasks/\${task id}
 - POST /services/\${service id}/tasks/start
- Since: 8.0.200.00
 - PUT /services/\${service id}/tasks/\${task id}/extensions/\${extension name}
 - PUT /services/\${service id}/task/\${task id}extensions/\${ext name}/by/unique
 - PUT /services/\${service id}/task/\${task id}/extensions/\${ext name}/delete/by/unique

API Reference 3