




This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Attribute Schema

Attribute Schema

	Purpose: Describes an attribute schema, which can be part of an Extension Schema or of a Profile Schema.
	Available since: 8.0.100.00

Contents

- [1 Attribute Schema](#)
 - [1.1 Description](#)
 - [1.2 Resource](#)

Description

Your application can retrieve or manage the definitions of the attributes that compose some resources of the Context Services. Each attribute schema defines an attribute, its name, its type, and associated properties such as the default value of the attribute (if it exists). For instance, the following attribute schema defines that the Address Type attribute accepts integer values and is equal to 0 by default:

```
{"name": "AddressType", "type": "integer", "default": 0}
```

Profile Attributes

Profile attributes correspond to a recorded schema which details the attribute name, type, and content. 💡 In the 8.0.1 release, the configuration of a new attribute schema is performed in the Configuration Manager. Select in "Tenant" the item *specific configuration*, and under "Business Attributes" the item 'Contact Attributes'. Then, create a new Business Attribute Value. By default, the new Attribute is of type string. To assign another type to the schema, in Annex, create a section "settings", and a key "type" with the value "string" or "date". The default predefined attributes visible in the Configuration Server are the following:

- First Name (string)
- Last Name (string)
- Phone Number (string)
- E-mail Address (string)
- Title (string)

Default 'internal' Attributes (not visible in the Configuration Server) are the following:

- LastCalledAgent_EmployeeID (string)
- LastCalledAgent_TimeStamp (date)
- PreferredAgent_EmployeeID (string)

Additional attributes are available for each active media defined in the Business Attribute "Media Type" of the Configuration Manager:


- LCA_EmplID_<media> (string)
- LCA_TimeStamp_<media> (date)
- Pref_EmplID_<media> (string)

Attributes of type date/time are formatted in ISO 8601 UTC <ref>[Wikipedia ISO 8601](#)</ref>: [YYYY]-[MM]-[DD]T[HH]:[mm]:[ss].[SSS]Z
Example: "1981-03-17T02:00:00.000Z"

Service, State, and Task extension attributes

In 8.0.2, your application can define service, states, and tasks extension resources, based on extension schema which use an array of Attribute Schemas to define the content of the extension. See [Extension Schema](#) for further details.

Resource

Attribute Schema			
Field	Type	Mandatory	Description
name	string	yes	<p>The name is unique for each attribute within the given extension.</p> <ul style="list-style-type: none">Starts with a letter, and can be followed with letters, numbers, or underscores.Is restricted to a maximum of 30 characters (Maximum RDBMS<ref name="RDBMS">http://en.wikipedia.org/wiki/Relational_database_management_system shared limit.) <p> In profile attribute schemas, the name is not case-sensitive.</p>
type	<p>token</p> <ul style="list-style-type: none">booleanstringintegerlongdoubledatedateTimecurrency	yes	<ol style="list-style-type: none">The constraints on these types (the minimum and maximum values supported for the integer type) vary with the RDBMS<ref name="RDBMS" />.Customer profiles are built on top of UCS' Contact Attributes, and support only String and DateTime attribute types. However, all attribute types are

Field	Type	Mandatory	Description
			supported for profile extensions.
default	numeric or string	no	Provides a default value for the attribute. For numeric attributes, you do not need quotation marks. Quotation marks are for string, date, and datetime attributes. By default, the date/time format is ISO 8601 UTC Wikipedia ISO 8601 : [YYYY] - [MM] - [DD]T[HH]:[mm]:[ss].[SSS]Z.
length	integer	no	Reserved to attributes of type String. Defines the maximum number of characters for the string. <ul style="list-style-type: none">• Default length is 256• Maximum length is 4000.
mandatory	boolean	no	<ul style="list-style-type: none">• <i>false</i> by default;• <i>true</i> if the attribute is mandatory when inserting a new Profile Extension record.

<references />