

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Delete Metadata Services Extensions

Delete Metadata Services Extensions

^a b ^c	/metadata/services/extensions/\${extension- name}
	Available since: 8.1.300.00

Contents

- 1 Delete Metadata Services Extensions
 - 1.1 Description
 - 1.2 Operation
 - 1.3 Response
 - 1.4 Example

Description

Allows the deletion of a service extension. The records in the service extension table are deleted, the table is deleted, and the definition of the service extension is erased.

Operation

ID	CV.WS.SRV.META.3			
URI	/metadata/services/extensions/\${extension-name}			
Method	DELETE			
Parameter	Туре	Mandatory	Description	
URI Parameter				
\${extension-name}	string	yes	The metadata extension name to delete. This name is not case- sensitive.	

Response

The Context Management Service API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See HTTP Response Codes and Errors for further details on the possible codes that this operation can return.

Response		
HTTP code	204	
HTTP message	Success No Content	

Example

The following operation deletes a service extension.

Operation

DELETE /metadata/services/extensions/relatedOffers

Result

HTTP/1.1 204 OK Success No Content

Note: If nothing was deleted, HTTP status code 404 ("Not Found") is sent.