



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## API Reference

Delete Metadata States Extensions

# Delete Metadata States Extensions

	<b>/metadata/states/extensions/\${extension-name}</b>
	Available since: 8.1.300.00


## Contents

- [1 Delete Metadata States Extensions](#)
  - [1.1 Description](#)
  - [1.2 Operation](#)
  - [1.3 Response](#)
  - [1.4 Example](#)

## Description

Allows the deletion of a state extension. The records in the state extension table are deleted, the table is deleted, and the definition of state extension is erased.

## Operation

<b>ID</b>	CV.WS.SRV.META.4		
<b>URI</b>	/metadata/states/extensions/\${extension-name}		
<b>Method</b>	DELETE		
<b>Parameter</b>	<b>Type</b>	<b>Mandatory</b>	<b>Description</b>
<b>URI Parameter</b>			
\${extension-name}	string	yes	The metadata extension name to delete.  This name is <b>not</b> case-sensitive.

## Response

The Context Management Service API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See [HTTP Response Codes and Errors](#) for further details on the possible codes that this operation can return.

Response	
<b>HTTP code</b>	204
<b>HTTP message</b>	Success No Content

## Example

The following operation deletes a state extension.

### Operation

```
DELETE /metadata/states/extensions/Feedback
```

### Result

HTTP/1.1 204 OK  
Success No Content

**Note:** If nothing was deleted, HTTP status code 404 ("Not Found") is sent.