

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Unauthorized Strings

Unauthorized Strings



Specifies the list of strings that your application cannot use to create resources and schemas.

Contents

- 1 Unauthorized Strings
 - 1.1 Returned Error
 - 1.2 Keywords Reserved to Context Services
 - 1.3 Keywords Reserved to Database
 - 1.4 Type Keywords

Returned Frror

Context Services operations enable your application to create resources, schemas, and extensions. However, the keywords identified on this page should not be used to create or fill in attribute values. If your application does use one of the reserved keywords in PUT or POST operations, then a HTTP 400 Bad Request is returned with a "bad parameter" message in the following format:

bad parameter '\${parameter-name}' reason: '\${unauthorized-keyword}' keyword is not authorized.

For instance, if a PUT operation used the 'Select' keyword as a field value for the parameter 'name', your application receives the following message:

bad parameter 'name' reason : 'Select' keyword is not authorized.

Keywords Reserved to Context Services

- extension
- none
- · profile
- service
- state
- task

Keywords Reserved to Database

- alter
- by
- comment
- constraint
- create
- cursor
- database
- delete
- from
- having
- identity

- index
- inner
- insert
- is
- join
- left
- null
- order
- outer
- prepare
- primary
- procedure
- return
- right
- select
- set
- size
- table
- truncate
- union
- update
- when
- where

Type Keywords

- bigint
- binary
- bit
- blob
- boolean
- char
- clob
- currency

- date
- datetime
- decimal
- double
- float
- int
- integer
- long
- longvarbinary
- money
- nchar
- number
- numeric
- real
- smalldatetime
- smallint
- smallmoney
- string
- time
- timestamp
- tinyint
- varbinary
- varchar
- varchar2