




This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Update Record In Service Extension

12/12/2025

Update Record In Service Extension

	PUT /services/\${service_id}/extensions/\${ext_name}/by/unique
	Available since: 8.0.200.00

Contents

- [1 Update Record In Service Extension](#)
 - [1.1 Description](#)
 - [1.2 Operation](#)
 - [1.3 Response](#)
 - [1.4 Example](#)

Description

Updates the content of a single record in a multi-valued extension. The attributes which are part of the 'unique' list specified at the **Extension Schema** creation are passed in the body and are used to find the correct record to update. ⚠️ This update cannot change the values of the attributes which are part of the 'unique' list specified at the **Extension Schema** creation. 'Unique' attributes identify which record should be updated.

Operation

Prerequisites: The extension record exists.

ID	CV.WS.SRV.19		
Method	PUT		
URL	/services/\${service_id}/extensions/\${ext_name}/by/unique		
Parameter	Type	Mandatory	Description
URI Parameters			
\${service_id}	string	yes	The service ID.
\${ext_name}	string	yes	The name of the Service Extension to update.
Body <ref>Record attributes for the Service Extension .</ref>			
<attribute n>	<ul style="list-style-type: none"> • string • integer • long • double • date • datetime • currency • boolean 	yes	<p>Individual attributes defined in the Service Extension Schema. <attribute n> corresponds to the attribute name defined in the schema.</p> <ul style="list-style-type: none"> • If the attribute is unique, its value is used to select the record to update. It is not updated. • If the attribute is not unique, its value is updated.

<references />

Response

The Context Management Service API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See [HTTP Response Codes and Errors](#) for further details on the possible codes that this operation can return.

Response	
HTTP code	204
HTTP message	No Content

Example

Operation The following operation updates the "3 times payment GOLD" record of the extension *relatedOffers* in the service 8389.

```
PUT /services/8389/extensions/relatedOffers/by/unique
{
  "offer_name": "3 times payment GOLD",
  "type": 4,
  "comments": "extended offer time"
}
```

Result

204 No Content