



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Update Record In Task Extension

Update Record In Task Extension

	PUT <code>/services/{service_id}/task/{task_id}extensions/{ext_n</code> unique Available since: 8.0.200.00
---	---

Contents

- [1 Update Record In Task Extension](#)
 - [1.1 Description](#)
 - [1.2 Operation](#)
 - [1.3 Response](#)
 - [1.4 Example](#)

Description

Updates the content of a single record in a multi-valued extension for a given state of a given service. The attributes which are part of the 'unique' list specified at the [Extension Schema](#) creation are in the body and are used to find the correct record to update. ⚠️ This update cannot change the values of the attributes which are part of the 'unique' list specified at the [Extension Schema](#) creation. 'Unique' attributes identify which record should be updated.

Operation

Prerequisites: The extension record exists.

ID	CV.WS.SRV.21		
Method	PUT		
URL	/services/{service_id}/tasks/{state_id}/extensions/{ext_name}/by/unique		
Parameter	Type	Mandatory	Description
URI Parameters			
{service_id}	long	yes	The service ID.
{task_id}	integer	yes	The state ID.
{ext_name}	string	yes	The name of the Task Extension to update.
Body <ref>Record attributes for the Task Extension .</ref>			
<attribute n>	<ul style="list-style-type: none"> string integer long double date datetime currency boolean 	yes	Individual attributes defined in the Task Extension Schema . <attribute n> corresponds to the attribute name defined in the schema.

<references />

Response

The Context Management Service API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See [HTTP Response Codes and Errors](#) for further details on the possible codes that this operation can return.

Response	
HTTP code	204
HTTP message	No Content

Example

Operation The following operation updates the "cabriolet" record of the *Proposal* extension in the task 1 of service 8389.

```
PUT /services/8389/tasks/1/extensions/Proposal/by/unique
{
  "car type":"cabriolet",
  "price":25 000,
  "seats":3,
  "comments":"250 cv, hardtop"
}
```

Result

204 No Content