

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# **API** Reference

**Update Task Extension** 

# Update Task Extension

POST /genesys/1/cs/ services/\${service\_id}/tasks/\${task\_id}/extensions/\${extension\_name}

## Contents

- 1 Update Task Extension
  - 1.1 Description
  - 1.2 Operation
  - 1.3 Response
  - 1.4 Example

API Reference 2

# Description

This operation replaces the extension value with a new extension value. The former value of the extension is lost.

# Operation

#### Updates a state's extension value

ID	CV.WS.SRV.18		
Method	PUT		
URL	/genesys/1/cs/ services/\${service_id}/tasks/\${task_id}/extensions/\${extension_name}		
Name	Туре	Mandatory	Description
<b>URI Parameters</b>			
\${service_id}	integer	yes	The ID of the service.
\${task_id}	integer	yes	The ID of the task.
\${extension_name}	string	yes	The name of the extension
Body			
<extension n=""></extension>	Any JSON type	yes	Values for one or more extension attached data.

### Response

The Context Management Service API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See HTTP Response Codes and Errors for further details on the possible codes that this operation can return.

#### Response

HTTP code	200
HTTP message	OK

# Example

#### Operation

Update a multi-valued extension.

API Reference 3

#### Result

200 OK

#### **Operation**

Update a single-valued extension.

```
PUT /services/8389/tasks/42/extensions/Survey
{
    "url":"http://ourServer/storage/userAnswers",
    "question1":7,
    "question2":true,
    "question3":"will be better with cable tv and on-demand video"
}
```

#### Result

200 OK

API Reference 4