



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Query Profile Extension Schema

Query Profile Extension Schema

Important

Prerequisites: You need to **enable** profiles in UCS.

GET /metadata/profiles/extensions

Contents

- [1 Query Profile Extension Schema](#)
 - [1.1 Description](#)
 - [1.2 Operation](#)
 - [1.3 Response](#)
 - [1.4 Example](#)

Description

Queries the schemas of the given profile extension.

Operation

Prerequisites: The Profile Extension Schema resource exists.

Important

To create the profile extension schema, use the [Create Profile Extension Schema](#) operation.

Query Profile Extensions Schema

ID	CV.WS.PROF.META.3		
Method	GET		
URL	- All: /metadata/profiles/extensions /metadata/profiles/extensions/\${extension-name}		
Name	Type	Mandatory	Description
URI Parameter			
\${extension-name}	string	no	The extension name, if a specific extension should be returned. Important This name is not case-sensitive.

Response

The Context Management Service API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See [HTTP Response Codes and Errors](#) for further details on the possible codes that this operation can return.

Response	
HTTP code	200
HTTP message	OK
Body	/metadata/profiles/extensions
	Returns an array of the following fields:
	• name: the unique extension name. • type: "single-valued" or "multi-valued". • required: true or false • attributes: Attribute Schema[].
	/metadata/profiles/extensions/\${extension-name}
	Extension Schema or Extension Schema []

Example

Get all extension schemas

Operation

GET /metadata/profiles/extensions

Result

```
200 OK
[
  {
    "name": "Phone",
    "type": "multi-valued",
    "attributes": [
      { "name": "PhoneType", "type": "integer", "default": 0, "mandatory": "true" },
      { "name": "prefix", "type": "string", "length": 3, "default": "555", },
      { "name": "PhoneNumber", "type": "integer", "length": 15, "mandatory": "true" },
      { "name": "description", "type": "string", "length": 32, "mandatory": "true" },
      { "name": "start_availability", "type": "datetime", },
      { "name": "end_availability", "type": "datetime", "mandatory": "false" }
    ]
  },
  {
    "name": "Address",
    "type": "single-valued",
    "attributes": [
      { "name": "AddressType", "type": "integer", "default": 0 },
      { "name": "Address", "type": "string", "length": 256 },
      { "name": "City", "type": "string", "length": 32 },
      { "name": "County", "type": "string", "length": 32 },
      { "name": "PostCode", "type": "string", "length": 10 },
      { "name": "Country", "type": "string", "length": 32 }
    ]
  }
]
```

Get a single extension schema

Operation

GET /metadata/profiles/extensions/Phone

Result

200 OK

```
{
  "name": "Phone",
  "type": "multi-valued",
  "attributes": [
    {"name": "PhoneType", "type": "integer", "default": 0, "mandatory": "true"},
    {"name": "prefix", "type": "string", "length": "3", "default": "555", },
    {"name": "PhoneNumber", "type": "integer", "length": 15, "mandatory": "true"},
    {"name": "description", "type": "string", "length": 32, "mandatory": "true"},
    {"name": "start_availability", "type": "datetime"},
    {"name": "end_availability", "type": "datetime", "mandatory": "false"}
  ]
}
```