

GENESYS[®]

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Export Services to File by Date

Export Services to File by Date

POST /maintenance/services/files

Contents

- 1 Export Services to File by Date
 - 1.1 Description
 - 1.2 Operation
 - 1.3 Response
 - 1.4 Example

Description

Your application can use this operation to export service data to the JSON or CSV file format for a given time range. You can filter the list of returned services according to their date, inner state, or events. The query creates a file per type of data exported (service, states, tasks), for instance:

- "C:/export20140813_160508_183_services.csv"
- "C:/export20140813_160508_183_states.csv"
- "C:/export20140813_160508_183_tasks.csv"

Important

This operation includes the service data for each resources returned.

See also the export features page for further details about the state and event filters.

Operation

Method	POST			
URL	/genesys/1/cs/maintenance/services/files			
Name	Туре	Mandatory	Description	
URI Parameters				
time_from	date/time[1]	yes	Filters the service IDs which match the event and/or state filters starting from the given date/time. Example : 2014-09-02T08:00:00.000Z	
time_to	date/time[1]	no	Filters the service IDs which match the event and/or state filters ending to the given date/time. By default, current time is taken as end range. Example : 2014-09-02T08:00:00.000Z	
filter_events	any, started, completed	no	Filters on either types of	

Export services to files

Method	POST		
			 service event occurrence. any (default): The response includes the services for which an event occurred in the given time range. started: The response includes services for which a start event occurred during the given time range. completed: The response includes services for which an end event occurred during the given time range.
filter_state	any, active, inactive	no	 any (default): The response includes the conversation (or service information) if some event (specified by the filter_events parameter) occurred during the specified time range. active: The response includes the conversation (or service information) if some event (specified by the filter_events parameter) occurred during the specified time range AND if the service is still active. inactive: The response includes the conversation (or service information) if some event (specified by the filter_events parameter) occurred during the specified time range AND if the service is still active. inactive: The response includes the conversation (or service information) if some event (specified by the filter_events)

time range AND if the service is completed.file_prefixSpecifies the file destination path and prefix. For example, if you set file_prefix to c:/export?, the server generates the following one or three files: • "C:/export20140813_160508_18 • "C:/export20140814 • "C:/export201408_18 • "C:/export2	Method	POST		
file_prefixStringyesdestination path and prefix. For example, if you set file_prefix to 'C./export. the server generates the following one or three files: . "C./export20140813_150508_18 . "C./export201408_18 . "Export is enabled, the seport is enabled,				time range AND if the service is completed.
image: compressionStringNoValues: • uncompressed (default) • gzip If the compression is enabled, the server generates the export file with the accurate 	file_prefix	String	yes	destination path and prefix. For example, if you set file_prefix to 'C:/export', the server generates the following
compressionStringnoValues: • uncompressed (default) • zip • gzip If the compression is enabled, the server generates the eexport file with the accurate file extension.Specifies the separator used in the exported CSV file to separate the column data in a CSV file line. 				• "C:/export20140813_160508_183_
compressionStringNoValues: · uncompressed (default) · zip · gzip If the compression is enabled, the server generates the export file with the accurate file extension.separatorStringnoSpecifies the separator used in the exported CSV file to separate the column data in a CSV file line. . Default: ","formatjson or csvnoSpecifies the format of the exported file.				• "C:/export20140813_160508_183_
compressionStringno. uncompressed (default) . zip . gzip If the compression is enabled, the server generates the export file with the accurate file extension.separatorStringnoSpecifies the separator used in the exported CSV file to separate the column data in a CSV file line. . Default: ","formatjson or csvnoSpecifies the format of the exported file.				 "C:/export20140813_160508_183_
compressionStringno(default)· zip · gzip· gzipIf the compression is enabled, the server generates the export file with the accurate file extension.· Zip · gzipseparatorStringnoSpecifies the separator used in the exported CSV file to separate the column data in a CSV file line. · Default: ","formatjson or csvnoSpecifies the format of the exported file.				Values:
compressionStringno· gzipIf the compression is enabled, the server generates the export file with the accurate file extension.· fite compression is enabled, the server generates the export file with the accurate file extension.separatorStringnoSpecifies the separator used in the exported CSV file to separate the column data in a CSV file line. · Default: ","formatjson or csvnoSpecifies the format of the exported file.				
• gzipIf the compression is enabled, the server generates the export file with the accurate file extension.separatorStringStringnoSpecifies the separator used in the exported CSV file to separate the column data in a CSV file line. • Default: ","formatjson or csvnoSpecifies the format of the exported file.	compression	String	no	
the server generates the export file with the accurate file extension.separatorStringnoSpecifies the separator used in the exported CSV file to separate the column data in a CSV file line. • Default: ","formatjson or csvnoSpecifies the format of the exported file.			iii c	
separatorStringnoused in the exported CSV file to separate the column data in a CSV file line. • Default: ","formatjson or csvnoSpecifies the format of the exported file.				the server generates the export file with the accurate
format json or csv no Specifies the format of the exported file.	separator	String	no	used in the exported CSV file to separate the column data in a CSV file line.
format json or csv no the exported file.				• Default: ","
	format	json or csv	no	the exported file.

<references />

Response

The Context Management Service API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See HTTP Response Codes and Errors for further

details on the possible codes that this operation can return.

Response				
HTTP code	200			
HTTP Title	ОК			
Body	String[]			

Example

Operation

The following code sample associates the customer with a service, and specifies attached data as json arrays for "Feedback" and "Satisfaction".

POST http://localhost:8080/genesys/1/cs/maintenance/services/ file?time from=2014-07-22T12:00:00.000Z&time to=2014-07-22T18:00:00.000Z&file prefix=C:/export&format=csv

Response

202 Accepted

C:/export_20140902_125024_170_services.CSV file

377-fffa514f-75b4-45b8-a417-550337719328,9,111861477473,,true,692,3,7PH0C3MOMF,4,5VFB3U7F9F,3,689,5,0R7H63Q24D9 mexico resort,4,false,8,Fancy resort Paris,2015-03-17 377-aa4abd74-db0e-4026-9adc-01fea18978b6,3,111639426401,,true,928,6,0F80DRNFV0,7,PUCPBS2MCP,2,481,9,UY05AV5G2KF mexico resort,4,false,8,Fancy resort Paris,2015-03-17 377-ee9920b1-32a6-4900-b8beb3f7ed328a6d,1,112956879726,,true,713,1,KER4FX089X,10,GNAYQTYRJA,2,256,7,Y61ED4QHTDK6AQ80,1,2014-09-02T12:29:58 mexico resort,4,false,8,Fancy resort Paris,2015-03-17 service_id,service_type,contact_key,customer_id,started_anonymous,est_duration,disposition,disposition_desc,sta

C:/export_20140902_125024_170_states.CSV file

377-ee9920b1-32a6-4900-b8beb3f7ed328a6d,377-c47423ca-4aed-458b-8fde-49b8435e7953,6,,25,5,K0GQKRSYGG,9,1845768615,1,256,9,112956879726,3,20 is the weather?, http://survey.genesys.com 377-ee9920b1-32a6-4900-b8be-b3f7ed328a6d,377-3b58e66cf499-4765-a1ff-860e8b2d12e2,2,,6,9,7YHBF2VX0G,9,1845768615,5,256,4,112956879726,3,2014-09-02T12:29:58.551Z,1845 is the weather?, http://survey.genesys.com 377-ee9920b1-32a6-4900-b8be-b3f7ed328a6d, 377-c7ec4edff4d6-4b76-8d99-aae94b9e92fd,7,,54,10,FPW0YDY8HW,6,1845768615,2,256,3,112956879726,3,2014-09-02T12:29:58.863Z,18 is the weather?, http://survey.genesys.com 377-ee9920b1-32a6-4900-b8beb3f7ed328a6d, 377-fd30f203-3b62-465a-90e6-d2f6c7332c78, 1, , 55, 3, XPJH03AV37, 7, 1845768615, 5, 256, 5, 112956879726, 4, 20 is the weather?, http://survey.genesys.com 377-ee9920b1-32a6-4900-b8be-b3f7ed328a6d,377-c8503d05-784d-4037-aadce70874a5c053,10,,35,5,C6K8NTU2UC,9,1845768615,3,256,8,112956879726,4,2014-09-02T12:29:59.178Z,1845768615,2014-0 is the weather?, http://survey.genesys.com service id, state id, state type, previous state id, est duration, disposition, disposition desc, start resource type,

C:/export_20140902_125024_170_tasks.CSV file

377-ee9920b1-32a6-4900-b8be-b3f7ed328a6d,,377-e438be2b-c3a8-4c2daa2b-018cc860df88,3,65,9,KC8TNWEQK8,5,1845768615,3,256,10,112956879726,5,2014-09-02T12:29:59.850Z,1845768615,20 377-ee9920b1-32a6-4900-b8beb3f7ed328a6d,,377-931a6f65-2f76-4675-b892-492c24680a7d,5,16,10,Y15M9U1SVB,8,1845768615,3,256,8,112956879726,10,377-ee9920b1-32a6-4900-b8be-

b3f7ed328a6d,,377-ebff6032-1306-461b-9234-99315d836eed,9,57,7,VXF9BW8YJ9,2,1845768615,4,256,9,112956879726,7,20377-ee9920b1-32a6-4900-b8be-

b3f7ed328a6d,,377-bfbabd29-3384-4926-b275-43e0f538c454,2,97,8,SPYF4CB6PT,9,1845768615,5,256,7,112956879726,10,2 377-ee9920b1-32a6-4900-b8be-

b3f7ed328a6d,,377-378ae588-d76b-4567-8557-e976032e2d0c,2,46,10,058GAT2KSY,6,1845768615,4,256,6,112956879726,1,2 377-ee9920b1-32a6-4900-b8be-b3f7ed328a6d,377-f63d0dc7-4ac2-4135-ad4c-

d0b23aae7395,3,47,2,9C1QDWKQDF,7,1845768615,4,256,5,112956879726,5,2014-09-02T12:29:59.947Z,1845768615,2014-09-377-ee9920b1-32a6-4900-b8be-

b3f7ed328a6d,,377-9f83dbf4-e9cc-4a47-9531-f6d9dcba9595,7,48,3,B7N0C0Q8US,5,1845768615,5,256,7,112956879726,10,2 377-ee9920b1-32a6-4900-b8be-

b3f7ed328a6d,,377-67ce4f33-16db-47c1-adb9-3eb61b25e795,7,55,1,MNX8V1U2KT,3,1845768615,2,256,9,112956879726,4,20 service_id,state_id,task_id,task_type,est_duration,disposition,disposition_desc,start_resource_type,start_sessi