

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

API Reference

Query Tasks

Query Tasks

GET /services/\${service_id}/tasks

Contents

- 1 Query Tasks
 - 1.1 Description
 - 1.2 Operation
 - 1.3 Response
 - 1.4 Example

Description

This operation queries the tasks for a given service. By default, all the tasks are returned, but your application can filter the results to retrieve only active or completed tasks, based on the specified URI. Your application can also filter the returned tasks with additional URI parameters to select one or more task type and a given state.

Operation

| ID | CV.WS.SRV.13 | CV.WS.SRV.13 | | |
|----------------|--|--------------|---|--|
| Method | GET | | | |
| URL | All (default): /genesys/1/cs/services/\${service_id}/tasks Active Tasks: /genesys/1/cs/services/\${service_id}/tasks/active Completed Tasks: /genesys/1/cs/services/\${service_id}/tasks/completed | | | |
| Field Names | Туре | Mandatory | Description | |
| URI Parameters | | | | |
| \${service_id} | string | yes | The service ID generated from the service creation. | |
| state_id | integer | no | Used to filter tasks by state ID. To filter both on the state id and the task_type, your application can also use this field identically to task_type. For example: /genesys/1/cs/services/\${service_id}/tasks/completed?task_types=1,3&state | |
| task_types | long or string | no | Filters specific service task types separated by commas. | |
| extensions | string | no | Names, separated by commas, of the task extension keys to return with the matching task resources. By default, no extension is returned. | |

Response

The Context Management Service API answers with HTTP codes for every request. The following table shows the correct response for a successful request. See HTTP Response Codes and Errors for further details on the possible codes that this operation can return.

Response

| HTTP code | 200 |
|--------------|---------|
| HTTP message | OK |
| Body | Task[]. |

Example

Retrieve completed tasks

Operation Retrieve completed tasks for service 6001:

 $\label{lem:general} $$\operatorname{GET /genesys/1/cs/services/15/tasks/completed?task_types=STT-DefineCustomerNeed%2CSTT-FillCustomerInfo&state_id=5&extensions=Survey$

Result

```
[ {
    "service id" : 1,
 "state_id" : 2,
 "task_{id}": 0,
 "task_type" : 55,
 "est_duration" : 55,
 "started" : {
   "timestamp" : "2010-05-20T15:41:52.380Z",
   "interaction id" : "65"
},
"Survey":
-1":"
  {"url":"http://ourServer/storage/userAnswers",
  "question1":7, "question2":true,
  "question3": "will be better with cable tv and on-demand video"
 "Proposal": [
   "car type":"cabriolet",
    "price":25 000,
    "seats":2,
    "comments": "200 cv, hardtop"
    "car type":"S.U.V.",
    "price":70 000,
    "seats":8,
    "comments":"4wd, leather seats"
  ]
}, {
  "service_id" : 1,
```

```
"state_id" : 1,
"task_id" : 1,
"task_type" : 12,
"est_duration" : 900,
"started" : {
    "timestamp" : "2010-05-20T15:42:57.207Z",
    "interaction_id" : "954"
},
} ]
```

Retrieve active tasks

Operation Retrieve active tasks for service 6001:

GET /genesys/1/cs/services/6001/tasks/active

Result

```
[ {
    "service_id" : 6001,
    "task_id" : 15001,
    "task_type" : 1433,
    "started" : {
        "timestamp" : "2010-04-25T16:07:12.133Z",
        "application_type" : 1426,
        "media_type" : 1010,
        "resource_type" : 1423
    }
}
```

Operation Retrieve all tasks for service 6001:

GET /genesys/1/cs/services/6001/tasks

Result

```
[ {
    "service_id" : 6001,
    "duration" : 0,
    "task_id" : 15000,
    "task_type" : 1433,
    "started" : {
        "timestamp" : "2010-04-25T16:07:12.133Z",
        "application_type" : 1426,
        "media_type" : 1010,
        "resource_type" : 1423
    },
    "completed" : {
        "timestamp" : "2010-04-25T16:07:12.133Z",
        "application_type" : 1426,
        "media_type" : 1010,
        "resource_type" : 1423
    }
},{
    "service_id" : 6001,
    "task_id" : 15001,
    "task_type" : 1433,
    "started" : {
        "timestamp" : "2010-04-25T16:07:12.133Z",
        "application_type" : 1426,
        "application_type
```

```
"media_type" : 1010,
    "resource_type" : 1423
    }
} ]
```