



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

CX Contact Help

Create and Manage User-defined Field Labels

12/17/2025

Contents

- 1 Create and Manage User-defined Field Labels
 - 1.1 Create a Labeling Schema
 - 1.2 Create or Manage User Fields and Labels
 - 1.3 Apply a Labeling Schema to a Contact List
 - 1.4 Apply a Labeling Schema to a Dialing Profile, Campaign Template, or Campaign Group
 - 1.5 Apply a Labeling Schema to a List Rule

Create and Manage User-defined Field Labels

Important

The content of this document has been moved and is no longer being updated in this location.
For the latest content and most recent updates, see the [CX Contact Help](#) on the Genesys Multicloud site.

By default, all user-defined fields in a contact list are labelled as Other1, Other2, Other3, and so on, but you can override the default labels to clearly identify what the field is used for. For example, if you use Other21 to store the current balance remaining on a contact's account, you can change the field's Other21 label to Balance.

In this article, you'll learn how to change the default label for a user field. More specifically, you'll learn the following:

- [Create the labeling schema](#) that stores all user fields and their label properties
- [Create or edit user fields in a labeling schema and define their label properties](#)
- Apply a labeling schema to any of the following:
 - [Contact list](#)
 - [Dialing profile, campaign template, or campaign group](#)
 - [List rules](#)

Create a Labeling Schema

A labeling schema is the shell that stores all defined [label properties](#) for a user field in a contact list. You must have a labeling schema in place before you can create or edit user fields and define their label properties.

To create the labeling schema, go to the **Lists -> Labels** page and click **New**.

Next, specify a name and a description for the labeling schema and click **Create**. You'll return to the main **Labels** page and see the new labeling schema you just created.

The screenshot shows two parts of the application interface. The top part is the 'New Label' form, which has a 'Name' field containing 'TP_Demo' and a 'Description' field containing 'New Labeling Schema'. A blue 'Create' button is visible. An arrow points from the 'Create' button to the bottom part of the screenshot, which shows the 'Labels' page. The 'Labels' page displays a table with the following data:

	Name	Description	Data Fields
☐	TP_Demo	New Labeling Schema	20
☐	CXContactDefault		40

The main Labels page displays the following properties for each labeling schema:

Property	Description
Name	Name of the labeling schema.
Description	The description of the schema.
Data Fields	The number of data fields stored in the labeling schema. Note: Every labeling schema contains the standard 20 user fields (Other1-Other20) included in a contact list, so the minimum value in this field will always be 20.
Created Date	The date you created the labeling schema.
Actions	Use the Actions menu to do any of the following: - Click the pencil icon to edit the labeling schema (name and/or description) or the fields and their label properties contained within the schema. - Click the trash can icon to delete an entire labeling schema. This deletes all user fields and defined label properties contained within that schema. - Click the page icon to duplicate an entire labeling schema. This duplicates the schema name (with the suffix duplicate appended to it), description, all user fields and label properties.

Important

Every Labels page contains a default labeling schema that cannot be deleted.

Create or Manage User Fields and Labels

Once you've created the labeling schema, you can click its name and do any of the following:

- [Create a new user field and define its label properties](#)
- [Create multiple user fields simultaneously](#)
- [Edit existing user fields or label properties](#)
- [Delete user fields](#)
- [Search for a user field](#)

Create a New User Field and Define Label Properties

To create a new user field in your labeling schema and define its [label properties](#), click the name of the labeling schema on the main **Labels** page. You'll go to the **User Fields** page that lists all user fields and corresponding label properties in that labeling schema.

Click **New** and define the label properties as described in the table below. An example follows.

Click **Import** and import label definitions from a **.json** file. For details see [Import Lables](#).

Property	Description
Field Name	This is the default field name - Other1, Other2, Other3, and so on. When you create a new user field, the system auto-populates the value of Field Name so that all user fields are in sequential order. For example, if you currently have 27 user-defined fields in your contact list (Other1-Other27) and you click New to create a new user field, the Field Name value will default to Other28. You cannot edit this value.
Label	This is the label that corresponds to the field name.
User Data Key Name	Used to identify the type of data stored in a field within the contact list.
Display	Select this option if you want the new field label to override the default Other field label in all sections of the user interface that display contact list fields.
Attach to calls	Select this option if you want the new user field to be attached to outbound calls, so that agent desktop applications can access the data.

Once you define the properties and select **Save**, you'll return to the **User Fields** page and see the new label properties that correspond to your user field.

Example

If you want to use the Other21 field to store the balance owing on a customer's account, you could use the following label properties:

- Field Name: Other21 (you cannot change this)
- Label: Balance
- User Data Key Name: USR_BALANCE_OWING

Field Name	Label	Display	Attach to calls	User data Key name	Actions
Other21	Balance	☒	☒	USR_BALANCE_VALUE	 

Create Multiple User Fields

If you want to create more than one new user field, go to the **User Fields** page and click **New Multiple**.

Next, in the **Field** count box, enter the number of new fields you want to create. If, for example, you have 20 existing user fields and you want to add 12 new user fields, type 12 in this box. When you're finished, the system will add 12 new fields in sequential order (Other21-Other32).

You will then select each new field individually to define its **label properties**.

Edit User Fields

To edit the **label properties** of a user field, go to the **User Fields** page and click the name of the field (in the **Field Name** column) or click the corresponding pencil icon to open and edit the field's properties.

Important

You cannot edit the **Field Name** for any user field.

Import Labels

To import labels from a **.json** file, click the **Import** icon.

Next, in the **Import Label Definition from file** window, click **Select file (.json)**.

After you select the .json file click **Import**. The new label is created and an **Import Label** tab is opened for the imported label.

Review the details, make modifications if necessary and click **Create**. The imported label will now appear in the **Labels** table.

Delete User Fields

To delete a user field, click the trash can icon that corresponds to that user field or click the check box to the left of the field name and click the trash can icon at the top of the list of user fields.

Important

The following rules apply:

- Because the user fields in a contact list are ordered sequentially, you can only delete the last user field in a sequence. For example, if you have 27 user fields in your schema (Other1-Other27) and you want to delete Other25, you must first delete Other27 and then Other26.
- Because Other1-Other20 fields are standard fields in a contact list, those fields cannot be deleted. You can only edit the label properties for those fields.

Search for a User Field

Use the search box located at the top of the user field list to search for a user field.

Create Multiple User Fields

If you want to create more than one new user field, go to the **User Fields** page and click **New Multiple**.

Next, in the **Field** count box, enter the number of new fields you want to create. If, for example, you have 20 existing user fields and you want to add 12 new user fields, type 12 in this box. When you're finished, the system will add 12 new fields in sequential order (Other21-Other32).

You will then select each new field individually to define its **label properties**.

Edit User Fields

To edit the **label properties** of a user field, go to the **User Fields** page and click the name of the field (in the **Field Name** column) or click the corresponding pencil icon to open and edit the field's properties.

Important

You cannot edit the **Field Name** for any user field.

Delete User Fields

To delete a user field, click the trash can icon that corresponds to that user field or click the check box to the left of the field name and click the trash can icon at the top of the list of user fields.

Important

The following rules apply:

- Because the user fields in a contact list are ordered sequentially, you can only delete the last user field in a sequence. For example, if you have 27 user fields in your schema (Other1-Other27) and you want to delete Other25, you must first delete Other27 and then Other26.
- Because Other1-Other20 fields are standard fields in a contact list, those fields cannot be deleted. You can only edit the label properties for those fields.

Search for a User Field

Use the search box located at the top of the user field list to search for a user field.

Apply a Labeling Schema to a Contact List

Important

A contact list can have only one labeling schema, but a labeling schema can belong to multiple contact lists.

After you've created the labeling schema, you can apply it to any contact list stored within CX Contact. Here's how it works:

1. Create and save the labeling schema.
2. [Create or edit a contact list](#) and choose the labeling schema from the **Choose Label** menu.

Lists

New List

Name

New_CXC_List

US Calling

Select file

Select upload rule

No upload rule

Select specification file

CXContact_Demo_Input

Choose Label

Choose Label

☐ Use custom Timezones

Now, when you go to the **Lists** page, the name of the labeling schema that you applied to a contact list appears in the corresponding **Labels** column.

Apply a Labeling Schema to a Dialing Profile, Campaign Template, or Campaign Group

Once you've created a labeling schema, you can apply it to a dialing profile, campaign template, or campaign group. Here's how:

1. Create the labeling schema.
2. Create or edit an existing dialing profile, campaign template, or campaign group.
3. From the **Labels** menu, select the labeling schema.

The labeling schema will be applied to all contact lists that are part of the campaign group. The labels within the labeling schema will populate in the Contact Order menu as long as you selected the Display option when you defined the label properties for the user fields.

User Fields

Definitions for user data fields Other1-OtherN

Fields Other1-Other20 are static and can't be deleted. Other fields can only be deleted sequentially, i.e. you can't delete OtherN if Other(N-1) is present

1 - 20 of 20

	Field Name	Label	Display	Attach to calls
☐	Other6	Other6	☒	☒
☐	Other5	ADDRESS	☒	☒
☐	Other4	Other4	☒	☒
☐	Other3	BALANCE	☒	☒
☐	Other2	Other2	☒	☒
☐	Other1	ACCOUNT	☒	☒

New Campaign Group

General | Dialing | Treatment | Compliance | Advanced

Labels: TP_Demo

Contact Order: Choose Contact Order

- Device9
- Device10
- ACCOUNT
- Other2
- BALANCE
- Other4
- ADDRESS
- Other6
- Other7

Apply a Labeling Schema to a List Rule


Once you've created a labeling schema, you can apply it to either a selection rule or an upload rule, as follows.

Selection Rule

To apply a labeling schema to a **selection rule**.

1. Create and save the labeling schema.
2. Create or edit an existing selection rule.
3. Select the labeling schema from the **Labels** menu.

The user fields contained in your labeling scheme will now populate in the **Fields** menu as long as you selected the **Display** option when you defined the label properties for the user fields.



Upload Rule

If you are using the **Split by Field** option when applying an **upload rule** to a contact list, you can apply a labeling schema. Here's how:

1. Create and save the labeling schema.
2. Create or edit an existing upload rule.
3. Check the **Use Splitting** option.
4. Select **Field** from the Split by field menu.
5. Choose the labeling schema from the **Labels** menu.

The user fields contained in your labeling scheme will now populate in the **Fields** menu as long as you selected the **Display** option when you defined the label properties for the user fields.

User Fields

Definitions for user data fields Other1-OtherN

Fields Other1-Other20 are static and can't be deleted. Other fields can only be deleted sequentially, i.e. you can't delete Other*i* if Other(*i*-1) is present

1 - 20 of 20

	Field Name	Label	Display	Attach to calls	User data Key name
☐	Other6	Other6	☒	☒	Other6
☐	Other5	ADDRESS	☒	☒	USR_ADDRESS
☐	Other4	Other4	☒	☒	Other4
☐	Other3	BALANCE	☒	☒	USR_BALANCE_VALUE
☐	Other2	Other2	☒		
☐	Other1	ACCOUNT	☒		

Splitting Criteria

Selection_Rule_Description
Choose among the following...

☒ Use splitting ①

Splitting_Criteria_Description

Split by ②
Field

☐ Create remainder file

Field_Split_Description

Labels ③
TP_Demo

Output name format
LIST_yyyyMMdd_partId

Field Name
First Name
Device10
ACCOUNT
Other2
BALANCE
Other4
ADDRESS
Others

Filtering Rule

To apply a labeling schema to a filtering rule:

1. Create and save the labeling schema.
2. Create or edit an existing **filtering rule**.
3. Select the labeling schema from the **Labels** menu.

If you use the **Use ordering** option, the user fields contained in your labeling scheme will now populate in the **Fields** menu as long as you selected the **Display** option when you defined the label properties for the user fields. You can then define how you want to order and display the records within these fields in a contact list (options are Ascending and Descending). Refer to the **Filtering Rules** section of the **Create and Manage List Rules** page for more information.