

## **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Composer Help

Main Toolbar


## Main Toolbar

The main toolbar, sometimes called the workbench toolbar, is displayed at the top of the Workbench window directly beneath the menu bar. Note: Buttons on the main toolbar change based on the active perspective. Items in the toolbar might also be enabled or disabled based on the state of either the active view or editor. Sections of the main toolbar can be rearranged using the mouse. The figure below shows available toolbar buttons in the Composer perspective when a callflow diagram is selected.



## Toolbar Buttons

The table below identifies buttons that can appear on the toolbar.



|                  | Dura Look Tool   |
|------------------|--|
| Q <sub>2</sub> - | Run Last Tool  Allows you to quickly repeat the most recent launch in run mode or quickly run the selected resource, if that mode is supported (based on your current launch settings). Click the down arrow to select Run As or bring up the External Tool Configurations dialog box.   |
| ₽ ·              | Search  Brings up a Search dialog box where you can perform one of the following types of searches: File, Java, Java Script. The General > Search preference page allows you to set preferences for searches.  |
| <b>€</b> *       | Launch GAX Server portal  Launches the Genesys Administrator Extension used by the GAX Server (see GAX Server OPM Block). Composer uses the host, port, username, and password used on the GAX Server Preferences page to fetch ARM parameters or audio resource IDs list.   |
| ButProjVar.gif   | Access Project Variables  Opens a dialog box where you can set or delete application variables. The appearance of this button changes depending on what type of diagram you are working with. When working with a callflow or workflow, the button appears as shown on the top left. When working with an interaction process diagram, the button appears as shown on the bottom left. |
|                  | Show Properties View Shows the properties of the selected diagram.   |
|                  | Create Java Composer Project  Brings up a wizard dialog box for creating a new Java Composer Project.  |
| ButNewNet.gif    | Create .NET Composer Project  Brings up a wizard dialog box for creating a new .NET Composer Project.  |
| 50               | Create New Callflow  Brings up a wizard dialog box for creating a main callflow diagram or a sub-callflow diagram.   |
| <b>居</b>         | Create New Workflow  Brings up a wizard dialog box for creating a main workflow diagram or sub-workflow diagram.   |
|                  | Create New Interaction Process  Brings up a wizard dialog box for creating an interaction process diagram.   |
| 5                | Open the Prompts Manager View  |

|            | Displays the Prompts Manager view in the lower center pane of the Composer main window.  |
|------------|--|
| <b>Q</b>   | Open Database Connection Properties  Opens the Connection Profiles tab where you can define a database connection profile and test the connection. This button becomes enabled when you select the connection.properties file in the Project db folder.  |
|            | Generate All  Opens the Generate all dialog box, which lets you create properly formatted VoiceXML or SCXML files for all callflow and/ or workflows in the Project.   |
| <b>观</b> , | <b>Start Tomcat</b> Starts the Tomcat web server, which can be used for testing and deployment. If Tomcat has already started, displays a message to this effect.  |
| <b>₽</b>   | Stop Tomcat Stops the Tomcat web server.   |
| <b>→</b>   | Connect to Configuration Server  Opens a dialog box where you can connect to Configuration Server. Used for routing applications.  |
| 40         | <b>Disconnect from Configuration Server</b> Disconnects from Configuration Server.   |
|            | Statistics Manager  Opens the Statistics Manager view for working with Universal Routing Server predefined statistics. Used for routing applications.  |
|            | List Objects Manager  Opens the List Object Manager view, which allows you to create List Objects in Configuration Server. Use for creating parameterized applications. This provides System Administrators with the control to configure and change values from inside Configuration Server. Used for routing applications. |
|            | Publish active interaction process diagram to Configuration Server  If an interaction process diagram is selected, this toolbar button appears.  |
|            | Generate Code  Creates a properly-formatted VoiceXML file from a callflow diagram or a SCXML file from a workflow diagram. Static pages (pure VXML or SCXML code) are generated in the src-gen folder  |

|          | of the Composer Project.  |
|----------|---|
|          | Checks your diagram files and other source files for completeness and accuracy. In the case of errors, the Problems view becomes visible and error markers are put on the blocks that contain errors. Double clicking on an error in the Problems view will take you to the corresponding blocks that contain the errors. Review each of the errors and do the fixes, then validate again.  |
|          | <b>Next Annotation</b> Selects the next annotation. Supported in the Java editor.   |
| <b>₹</b> | <b>Previous Annotation</b> Selects the previous annotation. Supported in the Java editor.   |
| *>       | <b>Last Edit Location</b> Reveals the location where the last edit occurred.  |
|          | Back To  Reveals the previous editor location in the location history.  |
| ⇒ •      | Forward To  Reveals the next editor location in the location history.   |
|          | Turn Grammar Constraints Off  When editing an XML file that has a set of constraints or rules defined by a DTD or an XML schema, you can turn the constraints on and off to provide flexibility in the way you edit, but still maintain the validity of the document periodically. When the constraints are turned on, and you are working in the Design view, the XML editor prevents you from inserting elements, attributes, or attribute values not permitted by the rules of the XML schema or DTD, and from removing necessary or predefined sets of tags and values. |
|          | <b>Reload Dependencies</b> If you make changes to a DTD file or XML schema associated with an XML file (that is currently open), click to update the XML file with these changes. The changes will be reflected in the guided editing mechanisms available in the editor, such as content assist.   |
| +        | <b>Expand All</b> Select to expand all of the items in the Breakpoints view.  |
|          | Collapse All Select to collapse all of the current elements in the view.  |
| Tahoma ▼ | Font Style  |

|               | Allows you to change the font style of the selected text.   |
|---------------|---|
| 9             | Font Size   |
|               | Allows you to change the font size of the selected text.  |
| В             | Bold Font Style   |
|               | Allows you to bold the selected text.   |
| I             | Italic Font Style   |
|               | Allows you to change the selected text to italics.  |
| A ·           | Font Color  |
|               | Allows you to change the font color of the select text.   |
| <b>♦</b> 1 ▼  | Fill Color  |
|               | Allows you to change the fill color of the selected object.   |
| .# ·          | Line Color  |
|               | Allows you to change the color of the selected line.  |
| → <b>▼</b>    | Line Style  |
|               | Allows you to change the style of the selected line.  |
|               | Apply Appearance Properties   |
|               | Allows you to apply the applicable appearance properties of the first application shape to the other selected shapes. |
| 138: _        | Select All  |
| 1 304         | Selects all objects in the diagram.   |
| ne -          | Arrange All   |
|               | Arranges all or only the selected objects in the diagram.   |
| <b>2</b> 20 → | Align   |
|               | Aligns the selected objects in the callflow diagram: left, right, center, top, middle, bottom.                        |
|               | Auto Size   |
|               | Allows you to change the size of the selected object.   |
| اس            | All Connector Labels  |
|               | Shows labels for all connector lines in the diagram.  |
| ×             | No Connector Labels   |

