



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Composer Help

[Attach Block](#)

Attach Block

Contents

- [1 Attach Block](#)
 - [1.1 Name Property](#)
 - [1.2 Block Notes Property](#)
 - [1.3 Exceptions Property](#)
 - [1.4 Condition Property](#)
 - [1.5 Logging Details Property](#)
 - [1.6 Log Level Property](#)
 - [1.7 Interaction ID Property](#)
 - [1.8 Enable Status Property](#)
 - [1.9 ORS Extensions Property](#)

Use the Attach block for attaching a specific interaction to the current **Orchestration Server** session. For more information see <attach> in the *Orchestration Server Developer's Guide*, **Interaction Interface Action Elements**.

The Attach block has the following properties:

Name Property

Find this property's details under **Common Properties**.

Block Notes Property

Find this property's details under **Common Properties**.

Exceptions Property

This property provides the ability to define a set of exceptions handled by this block. Any exception not caught by a block in a thread might be caught by the enclosing **Begin Parallel block**. Find more detail under **Common Properties**.

Condition Property

Find this property's details under **Common Properties**.

Logging Details Property

Find this property's details under **Common Properties**.

Log Level Property

Find this property's details under **Common Properties**.

Interaction ID Property

This property specifies the ID of the Interaction to attach to this Orchestration Server session. Set to a meaningful value or keep the default value, which is the system variable InteractionId. Find more details under [Common Properties](#).

Enable Status Property

Find this property's details under [Common Properties](#).

ORS Extensions Property

Starting with 8.1.4, Composer blocks used to build routing applications (with the exception of the Disconnect and EndParallel blocks) add a new [ORS Extensions](#) property.