



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Composer Help

Script Block

# Script Block

## Contents

- [1 Script Block](#)
  - [1.1 Name Property](#)
  - [1.2 Block Notes Property](#)
  - [1.3 Exceptions Property](#)
  - [1.4 Condition Property](#)
  - [1.5 Logging Details Property](#)
  - [1.6 Log Level Property](#)
  - [1.7 Enable Status Property](#)
  - [1.8 Script Property](#)

Script block is used to write custom ECMAScript code and VoiceXML code. The Script block has the following properties:

### Name Property

Click under **Value** and enter the block name. Composer will use the name to identify the block in the diagram and as the state name in the code.

### Block Notes Property

Find this property's details under [Common Properties](#).

### Exceptions Property

Use to configure the exception nodes, with each port being hooked up to an event configured by you and selectable using Add Custom Event. Find this property's details under [Common Properties](#).

### Condition Property

Find this property's details under [Common Properties](#).

### Logging Details Property

Find this property's details under [Common Properties](#).

### Log Level Property

Find this property's details under [Common Properties](#).

### Enable Status Property

Find this property's details under [Common Properties](#).

## Script Property

Click under Value to open **ExpressionBuilder** where you can enter the code.

