



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Genesys Designer Help

Record Utterance block

---

## Contents

- 1 Record Utterance block
  - 1.1 Prompts tab
  - 1.2 Advanced tab
  - 1.3 Retry tab
  - 1.4 Results tab

## Record Utterance block

Use this block to capture a voice recording of the caller. You can then use the [HTTP REST](#) block to send the recording to an external API, or play it back using the [Play Message](#) block.

This block can only be used in the **Self Service** phase of an application. After the Self Service phase is completed, the recording is no longer available.

### Prompts tab

Click **Add Prompt** to specify the prompts that will be played to the caller.

Select **Prompts must finish completely before users can provide input** to prevent users from responding to the prompt before it has finished.

Select **Play a beep tone prior to recording** to indicate that recording is about to begin.

You can also specify a timeout value to indicate how long Designer should wait for the user to provide a voice input before moving to the next block.

### Properties - Record Utterance



This block records voice input from the caller.

**Prompts** Advanced Retry Results

Specify prompts to play to collect user input

+ Add Prompt

Type	Var?	Value	Play as	Actions
TTS ▼	<input type="checkbox"/>	Were you satisfied with our service?	text ▼	↑ ↓ ✕

☐ Prompts must finish completely before users can provide input

☒ Play a beep tone prior to recording

Timeout - wait for  s before assuming that no input was received.


## Advanced tab





Specify how many seconds of recording to capture by setting the minimum and maximum duration values. The default duration is 10 seconds.

You can also specify a timeout value to indicate many seconds of silence should pass before recording stops. The default value is 2 seconds.

Select **Use any DTMF keypress to stop recording** to allow users to stop the the recording with any key press.

### Properties - Record Utterance

 This block records voice input from the caller.

 Prompts  **Advanced**  Retry  Results

#### Advanced Settings

Maximum recording duration	<input type="text" value="30"/>	seconds
Minimum recording duration	<input type="text" value="250"/>	ms
End of recording timeout	<input type="text" value="2"/>	seconds

☒ Use any DTMF keypress to stop recording

## Retry tab

Enable **Use application-wide retry** to use the default retry settings specified in your application settings.

If you disable **Use application-wide retry**, you can enable **Allow Retries** to use the standard input retries if no input was detected during recording.

## Results tab

Specify the variables that will store the recording and its details.