



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# eServices Administrator's Guide

Required Queries

5/4/2025

---

## Contents

- 1 Required Queries
  - 1.1 Oracle
  - 1.2 SQLServer
  - 1.3 DB2

# Required Queries

Users of the UCS DB must have permission to run certain queries on the database, for the following purposes:

- List user's tables—required for launching UCS
- Read NLS (national language support) configuration—required for normal operation of UCS
- List user's indexes—required for normal operation of UCS
- Read the configured maximum number of cursors—required for normal operation of UCS, on Oracle only

The following examples use `CONTACTSERV_USER` and `CONTACTSERVARC_USER` as the names of users of the main and archive databases respectively:

## Oracle

To list user's tables:

```
SELECT T.TABLE_NAME, T.COLUMN_NAME, DECODE (T.NULLABLE, 'N', 'NO', 'YES') AS IS_NULLABLE
FROM ALL_TAB_COLUMNS T WHERE UPPER(T.OWNER)='CONTACTSERV_USER' ORDER BY T.COLUMN_ID
```

To read NLS configuration:

- In 8.1.0:  

```
SELECT * FROM sys.props$ WHERE name LIKE 'NLS%CHARACTERSET%'
```
- In 8.1.1 and later:  

```
SELECT * from SYS.NLS_DATABASE_PARAMETERS WHERE PARAMETER LIKE 'NLS%CHARACTERSET%
```

To list user's indexes:

```
SELECT I.INDEX_NAME, IND.COLUMN_NAME as COLUMN_NAME, I.UNIQUENESS as IS_UNIQUE FROM
USER_INDEXES I,
USER_IND_COLUMNS IND WHERE I.INDEX_NAME = IND.INDEX_NAME AND I.GENERATED='N' ORDER BY
INDEX_NAME
```

## SQLServer

To list user's tables:

```
exec sp_tables @table_name = null, @table_type = '''TABLE'''
```

To read NLS configuration:

```
SELECT DATABASEPROPERTYEX ('CONTACTSERV_USER', 'Collation')
```

To list user's indexes:

```
SELECT i.name INDEX_NAME, c.name AS COLUMN_NAME, CASE WHEN (i.status & 2)<>0 THEN 'true' ELSE  
'false'  
END AS IS_UNIQUE FROM sysindexes i INNER JOIN sysindexkeys k ON i.id=k.id AND i.indid=k.indid  
INNER JOIN syscolumns c  
ON c.id=i.id AND c.colid=k.colid WHERE INDEXPROPERTY (i.id , i.name , 'IsAutoStatistics' ) =  
0 ORDER BY index_name
```

## DB2

To list user's tables:

```
SELECT TABNAME AS TABLE_NAME, COLNAME AS COLUMN_NAME, TYPENAME AS TYPE_NAME,  
LENGTH AS TYPE_LENGTH FROM syscat.columns WHERE UPPER(TABSCHEMA)='CONTACTSERV_USER' ORDER BY  
COLNO
```

To read NLS configuration:

```
SELECT TYPENAME, CODEPAGE FROM syscat.datatypes WHERE TYPENAME LIKE '%CHAR%' OR TYPENAME LIKE  
'%LOB%'
```

To List user's indexes:

```
SELECT INDNAME AS INDEX_NAME, COLNAMES AS COLUMN_NAME, UNIQUERULE AS IS_UNIQUE  
FROM syscat.indexes WHERE UPPER(TABSCHEMA)='CONTACTSERV_USER' ORDER BY INDNAME
```