



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Privacy Manager Plug-in for GAX

Role-Based Access Control

12/16/2025

Contents

- 1 Role-Based Access Control
 - 1.1 Roles in Privacy Manager

Role-Based Access Control

Privacy Manager uses role privileges to control user access to various functions.

Roles in Privacy Manager

To grant a user access to the GAX menu and Privacy Manager Plug-in for GAX, assign the following privileges to the users in GAX:

- **COM/Access Configmanager**—Allows user to access Configuration Manager in GAX.
- **gax-privacy-manager/Privacy Manager Plug-in for GAX Access**—Allows user to access Privacy Manager.

In Privacy Manager 8.5.3 and later, you can also assign the following **gax-privacy-manager** role privileges to users:

- **Import/Export Access**—Allows user to access the import and export buttons.
- **Regex Access Create**—Allows user to create RegEx rules.
- **Regex Access Delete**—Allows user to delete RegEx rules.
- **Regex Access Edit**—Allows user to edit RegEx rules.
- **Regex Access**—Allows user to access the RegEx tab.
- **Rule Access Create**—Allows user to create chat and email rules.
- **Rule Access Delete**—Allows user to delete chat and email rules.
- **Rule Access Edit**—Allows user to edit chat and email rules.

You might need a combination of role privileges to accomplish certain tasks. See the tables below for examples.

Import and Export

Task	Required role privileges
Export	<ul style="list-style-type: none">• Import/Export Access• Regex Access
Import	<ul style="list-style-type: none">• Import/Export Access• Rule Access Create• Regex Access

Task	Required role privileges
	<ul style="list-style-type: none"> • Regex Access Create

Test rules with ability to create new tests


Task	Required role privileges
Test new chat/email rule	<ul style="list-style-type: none"> • Rule Access Create • Regex Access • At least one of the following: <ul style="list-style-type: none"> • Regex Access Create • Regex Access Edit
Test existing chat/email rule	<ul style="list-style-type: none"> • Rule Access Edit • Regex Access • At least one of the following: <ul style="list-style-type: none"> • Regex Access Create • Regex Access Edit
Test new RegEx rule	<ul style="list-style-type: none"> • Regex Access • Regex Access Create
Test existing RegEx rule	<ul style="list-style-type: none"> • Regex Access • Regex Access Edit

Test chat/email rules without ability to create new tests

Task	Required role privileges
Test new chat/email rule	Rule Access Create
Test existing chat/email rule	Rule Access Edit

Initialize a UCS database

You must initialize a UCS database if it has not been previously used with Privacy Manager. If the UCS database has not been initialized, Privacy Manager displays a warning message:



You can initialize the database by clicking **Initialize**. However, to access the **Initialize** button, you must have the following role privileges:

- **Rule Access Create**
- **Regex Access**
- **Regex Access Create**