

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Framework Deployment Guide

Configuration Server Prometheus support

Contents

- 1 Configuration Server Prometheus support
 - 1.1 Sample configurations
 - 1.2 Exposed metrics
 - 1.3 CS general metrics
 - 1.4 Cfglib protocol metrics
 - 1.5 Per cfglib client metrics
 - 1.6 Client deferral metrics
 - 1.7 Ldap metrics
 - 1.8 Sample output
 - 1.9 Statistical logging

Configuration Server Prometheus support

Configuration Server (CS) exposes the statistics of its internal operation via HTTP interface as a Prometheus metrics endpoint.

If configured, upon startup, CS opens a specified port for the HTTP GET requests from the Prometheus and/or web browser.

Both http and https protocols are supported.

GET requests for /metrics URI path are responded with content intended for Prometheus consumption. The responses contain text in Prometheus text-based format.

Requests for paths other than /metrics are responded with http error 404 Not Found.

Exposed metrics correspond to the statistical data currently exposed via the **stat.log** files.

To know about feature configuration and information on configuration options, refer to [prom] Section in the Management Framework Configuration Options Reference Manual.

Sample configurations

http

```
[prom]
port=80
confserv ... -prom-port 80
```

https - Windows

```
[prom]
port=443
transport=tls=1;certificate=91a15b56b95c82214cfb9a9ecd3590a874c9f619
confserv ... -prom-port 443 -prom-transport
tls=1;certificate=91a15b56b95c82214cfb9a9ecd3590a874c9f619
```

Exposed metrics

Metric names are prefixed with - cs_ for normal operation or with - tenant_cs_ if tenant_id is specified in devops\contactcenterid annex entry of the CS's configuration object.

In the later case, the value **tenant_id** is added as an index for each metrics.

Metrics with "current" following the prefix represent values since previous scrape. These values are reset at each scrape (http request). Prometheus scrapes are distinguished from the requests from

other clients (i.e. browser), so the later do not interfere with the data collected by regular Prometheus scrapes.

Metrics representing data other than countables, Boolean or enumerators are suffixed with units in which the values are given.

Counters are additionally suffixed with "total".

CS general metrics

cs_running_time_milliseconds_total	counter	
cs_current_time_since_last_scrape_ngialisgeconds		
cs_current_mode	gauge	0 - Unknown 1 - Master Primary 2 - Master Primary Readonly 3 - Restricted Readonly 4 - Master Backup 5 - Proxy Primary 6 - Proxy Backup 7 - Offline 8 - Restricted Import
cs_main_db_connection_status	gauge	0 – down 1 - up
cs_db_sync_connection_status	gauge	0 – down 1 - up
cs_ha_peer_connection_status	gauge	0 – down 1 - up
cs_db_sync_violation_status	gauge	0 – normal operation 1 – db sync violation detected
cs_master_connection_status		0 - down 1 - up for proxies only
cs_persistent_mode		0 – normal operation 1 – persistent mode operation for proxies only
cs_average_load_percent	gauge	
cs_processing_time_milliseconds_toteounter		
cs_max_atomic_processing_time_mildiaegends		
cs_current_load_percent	gauge	
cs_current_processing_time_millisecgndsge		
cs_current_max_atomic_processing	_ tjau g_milliseconds	

Cfglib protocol metrics

cs_cfglib_number_of_clients	gauge
cs_cfglib_number_of_gui_clients	gauge
cs_cfglib_requests_received_total	counter
cs_cfglib_notifications_sent_total	counter
cs_cfglib_packets_received_total	counter

cs_cfglib_packets_sent_total	counter
cs_cfglib_received_bytes_total	counter
cs_cfglib_sent_bytes_total	counter
cs_cfglib_processing_time_milliseconds_total	counter
cs_cfglib_max_atomic_processing_time_milliseconds	gauge
cs_cfglib_current_requests_received	gauge
cs_cfglib_current_notifications_sent	gauge
cs_cfglib_current_packets_received	gauge
cs_cfglib_current_packets_sent	gauge
cs_cfglib_current_received_bytes	gauge
cs_cfglib_current_sent_bytes	gauge
cs_cfglib_current_processing_time_milliseconds	gauge
cs_cfglib_current_max_atomic_processing_time_millis	egende

Per cfglib client metrics

The following metrics are reported for each cfglib client connected to CS at the time of the scrape.

Metrics for each client are indexed with the following:

- client_session_id CS unique (per CS instance run) session ID
- socket socket number
- app_type configuration application type
- app_name configuration application name
- account user account used for login
- host client's host ip address
- connected timestamp of the client login

cs_client_requests_received_total	counter
cs_client_notifications_sent_total	counter
cs_client_packets_received_total	counter
cs_client_packets_sent_total	counter
cs_client_received_bytes_total	counter
cs_client_sent_bytes_total	counter
cs_client_processing_time_milliseconds_total	counter
cs_client_max_atomic_processing_time_milliseconds	gauge
cs_client_current_requests_received	gauge
cs_client_current_notifications_sent	gauge

cs_client_current_packets_received	gauge
cs_client_current_packets_sent	gauge
cs_client_current_received_bytes	gauge
cs_client_current_sent_bytes	gauge
cs_client_current_processing_time_milliseconds	gauge
cs_client_current_max_atomic_processing_time_milli	segende

Client deferral metrics

cs deferred clients	gauge	
es_dererred_enerres	gaage	

The following metrics are reported for each client deferred at the time of the scrape.

Metrics for each client are indexed the same way as in the connected clients list.

cs_client_deferred_requests	gauge
cs_client_defer_counter	gauge

Ldap metrics

cs_ldap_requests_queue_size	gauge
cs_ldap_responses_queue_size	gauge

Ldap server failures metrics

For each failing Idap server, the following metrics is reported.

Metrics are indexed with: search base - the Idap server's search base.

Ldap server is no longer considered failing once it has recovered and responded successfully for at least one auth request.

cs Idap server request failures total	count
---------------------------------------	-------

Sample output

```
# TYPE cs_running_time_milliseconds_total counter
cs_running_time_milliseconds_total 25198 1660751626724
```

```
# TYPE cs_current_time_since_last_scrape_milliseconds gauge
cs_current_time_since_last_scrape_milliseconds 25198 1660751626724
```

```
# HELP cs_current_mode 0 - Unknown 1 - Master Primary 2 - Master Primary Readonly 3 -
Restricted Readonly 4 - Master Backup 5 - Proxy Primary 6 - Proxy Backup 7 - Offline 8 -
Restricted Import
# TYPE cs_current_mode gauge
cs current mode 1 1660751626724
# TYPE cs main db connection status gauge
cs main db connection status 1 1660751626724
# TYPE cs_db_sync_connection_status gauge
cs db sync connection status 1 1660751626724
# TYPE cs_ha_peer_connection_status gauge
cs ha peer connection status 0 1660751626724
# TYPE cs db sync violation status gauge
cs_db_sync_violation_status_0 1660751626724
# TYPE cs average load percent gauge
cs average load percent 17 1660751626724
# TYPE cs_processing_time_milliseconds_total counter
cs processing time milliseconds total 4303 1660751626724
# TYPE cs max atomic processing time milliseconds gauge
cs max atomic processing time milliseconds 1503 1660751626724
# TYPE cs current load percent gauge
cs current load percent 17 1660751626724
# TYPE cs current processing time milliseconds gauge
cs current processing time milliseconds 4303 1660751626724
# TYPE cs_current_max_atomic_processing_time_milliseconds gauge
cs current max atomic processing time milliseconds 1503 1660751626724
# TYPE cs_cfglib_number_of_clients gauge
cs_cfglib_number_of_clients 1 1660751626724
# TYPE cs cfglib number of gui clients gauge
cs_cfglib_number_of_gui_clients 1 1660751626724
# TYPE cs_cfglib_requests_received_total counter
cs cfglib requests received total 22 1660751626724
# TYPE cs_cfglib_notifications_sent_total counter
cs_cfglib_notifications_sent_total 1 1660751626724
# TYPE cs_cfglib_packets_received_total counter
cs cfglib packets received total 22 1660751626724
# TYPE cs cfglib packets sent total counter
cs cfglib packets sent total 33 1660751626724
# TYPE cs_cfglib_received_bytes_total counter
cs cfglib received bytes total 1210 1660751626724
# TYPE cs cfglib sent bytes total counter
cs cfglib sent bytes total 135722 1660751626724
# TYPE cs cfglib processing time milliseconds total counter
cs cfglib processing time milliseconds total 859 1660751626724
```

```
# TYPE cs_cfglib_max_atomic_processing_time_milliseconds gauge
cs_cfglib_max_atomic_processing_time_milliseconds 101 1660751626724
# TYPE cs cfglib current requests received gauge
cs_cfglib_current_requests_received 22 1660751626724
# TYPE cs_cfglib_current_notifications_sent gauge
cs cfglib current notifications sent 1 1660751626724
# TYPE cs_cfglib_current_packets_received gauge
cs_cfglib_current_packets_received 22 1660751626724
# TYPE cs cfglib current packets sent gauge
cs_cfglib_current_packets_sent 33 1660751626724
# TYPE cs cfglib current received bytes gauge
cs_cfglib_current_received_bytes 1210 1660751626724
# TYPE cs cfglib_current_sent_bytes gauge
cs cfglib current sent bytes 135722 1660751626724
# TYPE cs_cfglib_current_processing_time_milliseconds gauge
cs cfglib current processing time milliseconds 859 1660751626724
# TYPE cs cfglib current max atomic processing time milliseconds gauge
cs cfglib current max atomic processing time milliseconds 101 1660751626724
# TYPE cs client requests received total counter
cs_client_requests_received_total{client_session_id="1",socket="1956",app_type="SCE",app_name="default",account
21 1660751626724
# TYPE cs client notifications sent total counter
cs_client_notifications_sent_total{client_session_id="1",socket="1956",app_type="SCE",app_name="default",accoun
1 1660751626724
# TYPE cs client packets received total counter
cs_client_packets_received_total{client_session_id="1",socket="1956",app_type="SCE",app_name="default",account=
21 166075 1626724
# TYPE cs client packets sent total counter
cs_client_packets_sent_total{client_session_id="1",socket="1956",app_type="SCE",app_name="default",account="def
32 1660751626724
# TYPE cs_client_received_bytes_total counter
cs client received bytes total{client session id="1",socket="1956",app type="SCE",app name="default",account="d
1050 1660751626724
# TYPE cs client sent bytes total counter
cs_client_sent_bytes_total{client_session_id="1",socket="1956",app_type="SCE",app_name="default",account="defau
135656 1660751626724
# TYPE cs client processing time milliseconds total counter
cs_client_processing_time_milliseconds_total{client_session_id="1",socket="1956",app_type="SCE",app_name="defau
788 1660751626724
# TYPE cs client max atomic processing time milliseconds gauge
cs client max atomic processing time milliseconds{client session id="1",socket="1956",app type="SCE",app name="
101 1660751626724
# TYPE cs client current requests received gauge
cs_client_current_requests_received{client_session_id="1",socket="1956",app_type="SCE",app_name="default",accou
21 1660751626724
```

```
# TYPE cs_client_current_notifications_sent gauge
cs_client_current_notifications_sent{client_session_id="1",socket="1956",app_type="SCE",app_name="default",acco
1 1660751626724
# TYPE cs client current packets received gauge
cs_client_current_packets_received{client_session_id="1",socket="1956",app_type="SCE",app_name="default",accoun
21 1660751626724
# TYPE cs client current packets sent gauge
cs_client_current_packets_sent{client_session_id="1",socket="1956",app_type="SCE",app_name="default",account="d
32 1660751626724
# TYPE cs_client_current_received_bytes gauge
cs client current received bytes{client session id="1",socket="1956",app type="SCE",app name="default",account=
1050 1660751626724
# TYPE cs_client_current_sent_bytes gauge
cs_client_current_sent_bytes{client_session_id="1",socket="1956",app_type="SCE",app_name="default",account="def
135656 1660751626724
# TYPE cs client current processing time milliseconds gauge
cs_client_current_processing_time_milliseconds{client_session_id="1",socket="1956",app_type="SCE",app_name="def
788 1660751626724
# TYPE cs client current max atomic processing time milliseconds gauge
cs client current max atomic processing time milliseconds{client session id="1",socket="1956",app type="SCE",ap
101 1660751626724
# TYPE cs_deferred_clients gauge
cs deferred clients 0 1660751626724
# TYPE cs_ldap_requests_queue_size gauge
cs_ldap_requests_queue_size 0 1660751626724
# TYPE cs_ldap_responses_queue_size gauge
cs_ldap_responses_queue_size 0 1660751626724
```

Statistical logging

This section describes the 'CS clients Monitoring' feature in CS.

CS now optionally collects certain statistics on its operation and periodically prints it out to a dedicated log file. Statistics is collected on application, reactor (currently only CfgLib) and client levels.

For each item, the following are calculated:

- · total for the entire run
- for the period since last printout

Statistics log file uses the following line format for statistics output:

```
<Timestamp> <Parameter>=<Value> [, <Parameter>=<Value>...]
```

The following data is currently collected and printed out:

Application level

- · Running time
- · Current mode
- Load percentage of cpu core running CS code on the main thread vs total elapsed time; this does not
 include low-level commonlib code, but includes requests processing (outside conn_multi_scan()),
 commonlib and dblib callbacks
- Proc time total high-level processing time CS code on the main thread
- Proc max max. atomic operation processing time

Reactor level

Cfglib reactor only, soap reactor is currently not included.

- · Clients current number of connected clients
- · GUI current number of connected GUI clients

These are totals for all clients, including those which disconnected during the reporting period - total since CS startup and since last printout:Requests - number of received requests

- · Notificats- number of received notifications
- Pckts rcvd number of received "packets" (that is, calls to conn_write())
- Pckts sent number of sent "packets"
- Bytes rcvd
- · Bytes sent
- · Proc time total processing time
- · Proc max max atomic operation processing time

Client level

Lists all clients connected at the time of printout:

- Sock
- App Type
- App Name
- User
- Host
- Connected timestamp
- (+ same stats as for reactor for that client)

The following is sample content printed in logs every x seconds.

2018-10-10T12:00:01.001 Running Time = 2.17:01:58.277

```
2018-10-10T12:00:01.001 Current Mode = Primary

2018-10-10T12:00:01.001 Load = 1%

2018-10-10T12:00:01.001 Proc time = 3279447

2018-10-10T12:00:01.001 Proc Max = 3467

....

2018-10-10T12:00:01.001 socket = 540, AppType = SCE, App Name = default, User = default, Host = 192.168.158.1, Connected = 2018-08-10T18:46:31.688,.....

2018-10-10T12:00:01.001 socket = 588, AppType = SCS, App Name = SCS, User = SYSTEM, Host = 192.168.158.1, Connected = 2018-08-10T18:46:32.250,.....
```