



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Administrator Extension Help

IVRs

IVRs

IVRs (Interactive Voice Responses) are telephony objects consisting of IVR Ports; they are controlled through IVR interface drivers.

When you register a new IVR in the Configuration Database, an IVR Ports folder is automatically created under this IVR.

IVR Ports are telephony objects uniquely identified by the numbers within IVRs at which telephone calls may reside and be handled.

Viewing IVRs

The **IVRs** list shows the IVRs that are in your environment. It is sorted in a hierarchy by Tenants, configuration units, sites, and folders. To view objects by a particular hierarchy, select the hierarchy type in the drop-down menu above the list.

Important

IVRs that are disabled appear grayed out in the list.

Configuration Manager respects tenancy permission settings. You can access only those objects that you have been granted permissions and privileges to access.

You can filter the contents of this list in two ways:

- Type the name or partial name of an object in the **Quick Filter** field.
- Click the cube icon to open the **Tenant Directory** filter panel. In this panel, click the Tenant that you want to select. Use the **Quick Filter** field in this panel to filter the Tenant list.

You can sort the items in the list by clicking a column head. Clicking a column head a second time reverses the sort order. You can add or remove columns by clicking **Select Columns**.

To select or de-select multiple objects at once, click **Select**.

Working with IVRs

To create a new IVR object, click **New**. To view or edit details of an existing object, click the name of the object, or click the check-box beside an object and click **Edit**. To delete one or more objects, click the check-box beside the object(s) in the list and click **Delete**. You can also delete individual objects by clicking on the object and then clicking **Delete**.

Warning

When you delete an IVR, this also deletes all IVR Ports specified within the IVR. Their deletion might in turn cause modifications in other objects.

Otherwise, click **More** to perform the following tasks:

- **Clone**—Copy an IVR.
- **Move To**—Move an IVR to another [hierarchical structure](#).
- Enable or disable IVRs.
- Create a folder, configuration unit, or site. See [Object Hierarchy](#) for more information.

Click the name of an IVR to view additional information about the object. You can also set [options](#) and [permissions](#), and view [dependencies](#).

Procedure: Creating IVR Objects

Steps

1. Click **New**.
2. Enter the following information. For some fields, you can either enter the name of a value or click **Browse** to select a value from a list:
 - **Name**—The name of the IVR. You must specify a value for this property, and that value must be unique within the Configuration Database (in an enterprise environment) or within the Tenant (in a multi-tenant environment).
 - **Description**—A brief description of the IVR.
 - **Type**—The type of this IVR. You must specify a value for this property.
 - **Version**—The version of the IVR. You must specify a value for this property.
 - **IVR Server**—The name of the Application of the IVR Interface Server type that serves this IVR.
 - **Tenant**—In a multi-Tenant environment, the Tenant to which this object belongs. This value is automatically set to the Tenant that was specified in the **Tenant Directory** field in the object list.
 - **State Enabled**—If selected, indicates that the object is in regular operating condition and can be used without any restrictions.
3. In the **IVR Ports** tab, click **Add** to add an [IVR Port](#).

4. Click **Save**.

Important

IVR Ports are configured as separate objects. They can be created and configured only after the associated IVR has been created.