



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Intelligent Automation Reference Guide

Database Views Schema

12/15/2025

Contents

- 1 Database Views Schema
 - 1.1 Call Reporting Database Views
 - 1.2 Useful SQL Queries


Database Views Schema

Call Reporting Database Views

The three main call reporting views within the reporting database are:

- **VW_CALLS** - Records each call made into the Genesys Intelligent Automation application.
- **VW_CALL_STEPS** - Records each step made by the caller.
- **VW_BUSINESS_TASKS** - Records which business tasks started and ended, along with details of each instance.

The diagram below describes the relationship between the three views:



These views are configured so they will not lock the database when they run. Genesys recommends that you always filter based on:

- **company_id.**
- **is_test_call.**
- **call_start_date.**

Refer to the [Useful SQL Queries](#) section to find queries that might be useful when working with the database

VW_CALLS

This view records each *call* made into the Intelligent Automation application.

Calls might be physical or not. For example, if a caller started a phone call to Intelligent Automation but was transferred out of Intelligent Automation to a routing strategy and then returned. In this case, two rows are recorded into this view.

Column	DataType	Length	Description	Example
call_id	bigint		Unique identifier for each call. This is an incrementing number.	10001
company_id	int		Link to Intelligent Automation company identifier. The company ID can be found in the GUI (look in Administration > Companies).	3
voice_platform_session_id	nvarchar	100	Media Platform Identifier for the call within Intelligent Automation (for example, Genesys Voice Platform).	26A92695-9557-444A-A9B2-CCB4D71C1B69-1791
voice_platform_full_call_id	nvarchar	100	Unique identifier to link multiple Intelligent Automation interactions together within a single phone call.	10KMMSG8LL37TETGHTNQOF4KK80001NV
start_site_id	int		The module ID of the Inbound application from which the call started.	1
start_site_name	nvarchar	100	The name of the Inbound application from which the call started.	SIM Activation
call_start_time	datetime		The timestamp for when the call started.	2014-02-13 15:35:31.737
call_start_date	datetime		The date timestamp for when the call started (time is always 00.00.00.000).	2014-02-13 00:00:00.000
call_start_hour	int		The hour of the day for when the call started, in 24-hour format.	15

Column	DataType	Length	Description	Example
call_end_time	datetime		The timestamp for when the call ended.	2014-02-13 15:36:02.640
call_end_date	datetime		The date timestamp for when the call ended (time is always 00.00.00.000).	2014-02-13 00:00:00.000
call_end_hour	int		The hour of the day when the call ended, in 24-hour format.	15
call_end_site_id	int		The ID of the last module accessed on the call.	3
call_end_site_name	nvarchar	100	The name of the last module accessed on the call.	Transfer to RS – With Announcement
call_end_block_type	tinyint	1	Type of the last block accessed on the call. Possible values are: <ul style="list-style-type: none">• 1 – Start.• 2 – End.• 3 – Script.• 4 – Message.• 5 – Menu.• 6 – Custom Question.• 7 – Phone Transfer.• 8 – URL Transfer.• 9 – Recording.• 10 – Interceptor.	2

Column	DataType	Length	Description	Example
call_end_block_name	nvarchar	100	The name of the last block or step accessed on the call.	End Call
call_end_result	nvarchar	100	The resulting outcome description. Possible values are: <ul style="list-style-type: none">• error.• success.• hangup.• system hangup.	hangup
has_recent_failure	bit	1	Internal flag to determine if an error or recognition failure occurred in the callflow step/block. This flag can be reset, as controlled by VUI preferences, if the succeeding Menu or Custom Question step/block is successful.	0
is_test_call	bit	1	Flag to determine if call is for the test or production version of the module. Values can be 1 for Test or 0 for production.	1
call_duration	int		Call duration in seconds.	30
cli	nvarchar	45	Calling Line Identifier (the number that the caller is calling from).	3100
dnis	nvarchar	45	Dialed number that is associated to the Intelligent Automation application.	1234

Column	DataType	Length	Description	Example
cluster_id	int		The ID of the Intelligent Automation server cluster that handled the call. Cluster information can be found in the Intelligent Automation GUI (look in Administration > Clusters).	1
cluster_name	nvarchar	100	The name of the Intelligent Automation server cluster that handled the call. Cluster information can be found in the Intelligent Automation GUI (look in Administration > Clusters).	Default Voice Cluster
cti_fields	nvarchar	1000	<p>Computer Telephony Integration (CTI) attached data. Fields are pipe separated, with each field represented as a key-value pair separated by colon. Literal colons, pipes, or percent symbols within keys or values are represented as %c, %p, or %%, respectively.</p> <p>You can define the list of allowed CTI variables that are included in this field in the Intelligent Automation GUI (look in Administration > Default Server Settings).</p>	Segment:Gold
last_menu_block_type	tinyint	1	<p>The type of the last Menu or Custom Question block accessed on the call.</p> <p>Possible values are:</p>	5

Column	DataType	Length	Description	Example
			<ul style="list-style-type: none">• 5 - Menu• 6 - Custom Question	
last_menu_block_name	nvarchar	100	The name of the last Menu or Custom Question block accessed on the call.	If the callflow visited the following blocks: Welcome Message > Proceed With Activation Menu > Process Request Script > Successful Message > End Call This value is Proceed With Activation Menu .
cli_type	smallint	1	Representation of whether the caller is using a landline or a mobile handset. Possible values are: <ul style="list-style-type: none">• 0 - Unknown• 1 - Landline• 2 - Mobile The list of CLI mobile number prefixes that are defined in server settings is used to determine if the CLI is a mobile number.	1
server_id	int		The ID of the Intelligent Automation server that handled the call. Server information can be found in the Intelligent Automation GUI (look in Administration > Servers).	1

Column	DataType	Length	Description	Example
start_channel	int		<p>The channel in which the call started. Possible values are:</p> <ul style="list-style-type: none">• 0 - Unknown.• 1 - Voice.• 2 - Web.• 3 - Facebook.• 4 - Web with Voice.• 14 - Voicebot.	2

VW_CALL_STEPS

Each row in this view details a single block within the callflow that the caller progressed through.

Column	DataType	Length	Notes	Example
id	int		Unique call step identifier within call. This is an incrementing number.	1
call_id	int		See VW_CALLS.call_id .	10001
call_start_site	int		See VW_CALLS.start_site_id .	1
call_start_date	date		See VW_CALLS.call_start_date .	2014-02-13
cli_type	smallint	1	See VW_CALLS.cli_type .	1
company_id	int		See VW_CALLS.company_id .	3
is_test_call	bit	1	See VW_CALLS.is_test_call .	1
site_id	int		The ID of the Intelligent Automation module where this block/step (in the callflow) belongs.	265
site_name	nvarchar	100	The name of the Intelligent Automation module where this block/step (in the callflow) belongs.	Call Initialization
is_submodule	bit	1	Flag to determine if the module is flagged as an Inbound application or just a module.	1
block_type	tinyint	1	Block type indicator. Possible values are: <ul style="list-style-type: none">• 1 - Start• 2 - End• 3 - Script	1

Column	DataType	Length	Notes	Example
			<ul style="list-style-type: none">• 4 - Message• 5 - Menu• 6 - Custom Question• 7 - Phone Transfer• 8 - URL Transfer• 9 - Recording• 10 - Interceptor	
block_name	nvarchar	100	Name of the block or step in the callflow.	Start
block_detail	nvarchar	500	Internal field used to store additional information (if any) about the block.	For example, if this is a URL Transfer block, this field will show the module it will transfer to. (Link to module : 5)
start_time	datetime		Timestamp for when the callflow step/block was first visited.	2014-02-13 15:35:34.770
start_date	datetime		Date timestamp for when the callflow step/block was first visited (time is always 00.00.00.000).	2014-02-13 00:00:00.000
start_hour	int		Hour of the day when the callflow step/block was first visited, in 24-hour format.	15
end_time	datetime		Timestamp for when the callflow step/block ended.	2014-02-13 15:35:34.780
end_date	datetime		Date timestamp for when the callflow step/block ended	2014-02-13 00:00:00.000

Column	DataType	Length	Notes	Example
			(time is always 00.00.00.000).	
end_hour	int		Hour of the day for when the callflow step/block ended, in 24-hour format	15
duration	int		Duration, in seconds, spent within the step/block.	0
result	nvarchar	100	Resulting outcome description. Possible values are: <ul style="list-style-type: none">• error.• success.• hangup.• system hangup.	Success
result_detail	nvarchar	100	Additional information relating to the result (for example, transferred telephone number).	tel://123456789
error_messages	nvarchar	500	Detailed error messaging (if any)	
wav_filename	nvarchar	200	Only applicable for a Recording block. This is the filename of the saved recording.	temprecording_123456.wav
is_recording_saved	bit	1	Only applies for a Recording block. This is the flag to determine if there is a wav file recording saved. Possible values are 0 if no recording is saved or 1 if a recording	1

Column	DataType	Length	Notes	Example
			exists.	
recognition_type	int		Internal recognition type. Possible values are: <ul style="list-style-type: none">• 0 – None• 1 – Menu• 2 – Custom• 3 – Defaults• 4 – Global	1
is_dtmf	bit	1	Flag that indicates if block/step is DTMF enabled. Value will be set to 1 if its DTMF enabled; otherwise, this value is 0 .	1
num_retries	tinyint		Count of no-match entries by caller in this callflow step/block. This field populates only if the caller leaves this block (i.e. doesn't hang up).	2
num_timeouts	tinyint		Count of no-input entries by caller in this callflow step/block. This field populates only if the caller leaves this block (i.e. doesn't hang up).	1
num_helps	tinyint		Number of times the <i>help</i> command was used in this callflow block/step. This field populates only if the caller leaves this block (i.e. doesn't hang up).	1

Column	DataType	Length	Notes	Example
num_repeats	tinyint		Number of times the <i>repeat</i> command was used in this callflow block/step. This field populates only if the caller leaves this block (i.e. doesn't hang up).	1
num_recovery_attempts	int		Number of times the callflow step/block was visited when the caller failed to be recognized and took the Intelligent Automation recovery route.	1
num_nbest	tinyint		Number of best possible matches (nbest) recognized in Automatic Speech Recognition (ASR). For an answer provided via DTMF, this will always have a value of 1 .	10
nbest_meaning_1	nvarchar	45	First highest match from the ASR against the SRGS grammar in context.	07712344401
nbest_rawanswer_1	nvarchar	100	First highest synonym match from the ASR against the SRGS grammar in context.	Oh seven seven one two three four four four oh one
nbest_confidence_1	int		Confidence scoring out of 1000 of first highest match against the SRGS grammar in context. For DTMF, this value is always 1000 .	700
nbest_slots_1	nvarchar	100	First highest slot content from the ASR against the SRGS grammar in context.	Type:Mobile Number:12344401
nbest_recognition_type_1	int		Internal recognition type	2

Column	DataType	Length	Notes	Example
			reference for the first highest match. Possible values are: <ul style="list-style-type: none">• 0 - None• 1 - Menu• 2 - Custom• 3 - Defaults• 4 - Global	
nbest_meaning_2	nvarchar	45	Second highest match from the ASR against the SRGS grammar in context.	07712344501
nbest_rawanswer_2	nvarchar	100	Second highest synonym match from the ASR against the SRGS grammar in context.	Zero seven seven one two three four four five oh one
nbest_confidence_2	int		Confidence scoring out of 1000 of second highest match against the SRGS grammar in context. For DTMF, this value is always 1000 .	10
nbest_slots_2	nvarchar	100	Second highest slot content from the ASR against the SRGS grammar in context.	Type:Mobile Number:12344501
nbest_recognition_type_2	int		Internal recognition type reference for the second highest match. Possible values are:	2

Column	DataType	Length	Notes	Example
			<ul style="list-style-type: none">• 0 - None• 1 - Menu• 2 - Custom• 3 - Defaults• 4 - Global	
nbest_meaning_3	nvarchar	45	Third highest match from the ASR against the SRGS grammar in context.	07712345401
nbest_rawanswer_3	nvarchar	100	Third highest synonym match from the ASR against the SRGS grammar in context.	Zero seven seven one two three four five four zero one
nbest_confidence_3	int		Confidence scoring out of 1000 of third highest match against the SRGS grammar in context. For DTMF, this value is always 1000 .	10
nbest_slots_3	nvarchar	100	Third highest slot content from the ASR against the SRGS grammar in context.	Type:Mobile Number:12345401
nbest_recognition_type_3	int		Internal recognition type reference for the third highest match. Possible values are: <ul style="list-style-type: none">• 0 - None• 1 - Menu	2

Column	DataType	Length	Notes	Example
			<ul style="list-style-type: none">• 2 - Custom• 3 - Defaults• 4 - Global	
output_node_name	nvarchar	100	Name of the path that leads to this callflow step/block.	success
sequence_in_call	int		Given the list of callflow steps/blocks that were visited within the call, this is the position this step/block was visited within the sequence.	3
sequence_in_site	int		Given the list of callflow steps/blocks that were visited within the module, this is the position this step/block was visited within the sequence.	1
persona_name	nvarchar	100	The name of the persona active during the current call step. An empty string is saved if using the default persona.	French
channel	int		The channel that is being used by the caller during this call step. Possible values are: <ul style="list-style-type: none">• 0 - Unknown• 1 - Voice• 2 - Web	2

Column	DataType	Length	Notes	Example
			<ul style="list-style-type: none">• 3 - Facebook• 4 - Web with Voice• 14 - Voicebot.	

VW_BUSINESS_TASKS

Each row in this view details the business task that was processed (started, ended, and so on) within the callflow that the caller progressed through.

Column	DataType	Length	Notes	Example
id	bigint		Unique business task identifier within the call. This is an incrementing number.	10008
call_id	int		See VW_CALLS.call_id .	10001
voice_platform_session_id	nvarchar	100	See VW_CALLS.voice_platform_session_id .	26A92695-9557-444A-49B2-CCB4D71C1B69-1791
voice_platform_full_call_id	nvarchar	100	See VW_CALLS.voice_platform_full_call_id .	10KMMMSG8LL37TETGHTNQOF4KK80001NV
company_id	int		See VW_CALLS.company_id .	3
is_test_call	bit	1	See VW_CALLS.is_test_call .	1
start_site_id	int		The ID of the module where this business task belongs.	10
start_site_name	nvarchar	100	The name of the module where this business task belongs.	Payment By Full Balance
start_time	datetime		Timestamp for when this business task started.	2014-02-13 15:36:31.367
start_date	datetime		Date timestamp for when this business task started (time is always 00.00.00.000).	2014-02-13 00:00:00.000
start_hour	int		Hour of the day for when this business task started, in 24-hour format.	15
end_time	datetime		Timestamp for when this business task ended.	2014-02-13 15:36:50.367
end_date	datetime		Date timestamp for when this business task ended (time is always 00.00.00.000).	2014-02-13 00:00:00.000

Column	DataType	Length	Notes	Example
end_hour	int		Hour of the day for when this business task ended, in 24-hour format	15
duration	int		Duration, in seconds, between when the time business task started and ended.	19
name	nvarchar	100	Name of the business task (for example, postal address lookup).	Payment
outcome_category	tinyint	1	Outcome category identifier. Possible values are: <ul style="list-style-type: none">• 1 - success• 2 - failure• 3 - CPFL (customer perceived failure)• 4 - Unknown• 5 - Hangup	3
outcome_description	nvarchar	100	Outcome category description.	Invalid balance
details	nvarchar	100	Additional information regarding the business task outcome.	Balance = null
call_start_site	int		See VW_CALLS.start_site_id .	1
call_start_date	date		See VW_CALLS.call_start_date .	2014-02-13

Useful SQL Queries

This page describes SQL queries that might be useful when working with the database.

Get complete call details for a given call ID

```
SELECT
calls.*, call_steps.*
FROM VW_CALLS calls
INNER JOIN VW_CALL_STEPS call_steps
ON calls.call_id = call_steps.call_id
AND calls.call_id = xxx
```

Get complete business task details for a given call ID

```
SELECT
calls.*, business_tasks.*
FROM VW_CALLS calls
INNER JOIN VW_BUSINESS_TASKS business_tasks
ON calls.call_id = business_tasks.call_id
AND calls.call_id = xxx
```

Get complete call details for a company, filtered by call date and module version

```
SELECT
calls.*, call_steps.*
FROM
VW_CALLS calls,
VW_CALL_STEPS call_steps
WHERE
    calls.company_id = call_steps.company_id
    AND calls.company_id = 1
    AND calls.is_test_call = call_steps.is_test_call
    AND calls.is_test_call = 0
    AND calls.call_start_date = '2017-01-01'
```