

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

### Genesys Customer Experience Insights Project Guide

Callback folder

4/11/2025

## Callback folder

The Callback folder contains numerous objects that you can use to build reports.

Some data in the Callback folder is organized in a Details subfolder, to make it easier to find the objects you need. Many folders contain Custom folders, which are not described in this document; custom folders are provided to store any custom objects.

#### Important

Objects in each folder or subfolder are designed to be used together to create reports. Avoid mixing attributes and metrics from multiple folders into your reports. One exception to this rule is objects in the Time folder; Time attributes can be used in any report, and most reports include at least one attribute from the Time folder.

#### Callback folder and subfolders

This folder contains the following root folder and subfolders.

Callback

• Callback > Detail

#### Folder: Callback

Introduced: 9.0.007.03

Description: The root folder for Callback objects. Objects in this folder enable the organization, measurement, and filtering of Info Mart data based on summarized high-level characteristics of Callback interactions. Refer to the descriptions of subfolders for additional information.

#### Metrics:

% Abandoned

- Accepted Scheduled
- Accepted Wait For Agent
- % Customer Connected
- % Declined

% Canceled

- % Successful
- % Unsuccessful
- Abandon Waiting For Agent
- Accepted
- Accepted Immediate

- Added Agents
- Attempt 1
- Attempt 2
- Attempt 3
- Attempt 4
- Attempted
- Avg Added Agents

- Avg Offer Time
- Avg Saved Time
- Avg Time to Abandon Waiting For Agent
- Avg Time To Wait For An Agent
- Callback Attempts
- Callbacks
- Canceled
- Customer Connected
- Declined

Establish Time

	• Max Online Walking Time	Ollereu
Expected Wait Time	<ul> <li>Max Offline Waiting Time (Fmt)</li> </ul>	Min Saved Time
Expected Wait Time when     Offered	Max Position in Queue	• Min Saved Time (Fmt)
Failed Transfers before Agent     is connected	<ul> <li>Max Position in Queue when Offered</li> </ul>	<ul><li> Offer Time</li><li> Offered</li></ul>
Failed Transfers to Agent	Max Saved Time	Offline Waiting Time
Forced Dialed	Max Saved Time (Fmt)	Position in Queue
• Max Establish Time	Max Time to Abandon Waiting	<ul> <li>Position in Queue when Offered</li> </ul>
• Max Establish Time (Fmt)	For Agent	Requested Agent Assistance
Max Expected Wait Time	<ul> <li>Max Time to Abandon Waiting For Agent (Fmt)</li> </ul>	Saved Time
Max Expected Wait Time (Fmt)	• Max Time to Wait For Agent	Start Date Time Key
Max Expected Wait Time when     Offered	<ul> <li>Max Time to Wait For Agent (Fmt)</li> </ul>	Successful
Max Expected Wait Time when Offered (Fmt)	Min Expected Wait Time when Offered	<ul> <li>Time to Abandon Waiting For Agent</li> </ul>
Max Offer Time	Min Expected Wait Time when	Time to Wait For Agent
• Max Offer Time (Fmt)	Offered (Fmt)	Timeout Waiting
	Min Position in Queue when	
Attributes: • Callback Dim 1 Key	Callback Type	Offer Timing
Callback Dim 2 Key	Channel	Order Connect
Callback Dim 3 Key	Dial Dialog Result	• Queue
Callback Direction	Final Dial Result	Queue Key
Callback Offer Type	Final Target	

• Max Offline Waiting Time

Offered

#### **Folder**: Callback > Detail

#### Introduced: 9.0.007.03

**Description:** Objects in this folder enable the organization, measurement, and filtering of Info Mart data based on detailed characteristics of Callback interactions. Refer to the descriptions of subfolders for additional information.

Metrics: • Abandoned Waiting	Callback Offer Time	Timestamp
<ul> <li>Accepted</li> <li>Added Agent</li> <li>Callback Accepted Timestamp</li> <li>Callback Attempts</li> </ul>	<ul> <li>Callback Offered Timestamp</li> <li>Callback Offers per Session</li> <li>Connect Waiting Time</li> <li>Customer Connected</li> </ul>	<ul> <li>Customer Ready To Start Timestamp</li> <li>Desired Time</li> <li>Desired Timestamp</li> </ul>

• Establish Time • Offered • Ready To Start Timestamp • Offline Waiting Time Expected Wait Time • Requested Agent Assistance • Expected Wait Time When • Position in Queue Service Start Timestamp Offered Position in Oueue When • Start DateTime Key Last Callback Offer Time Offered Timeout Warning Last Callback Offered Push Delivery Confirmed Transfer Failed Timestamp Timestamp **Attributes:**  Callback Dim 4 Key • Dial Result Service ID Customer Phone Number • Final • Desired Time Forced Dialed

## Reports built primarily from the objects in the Callback folder and subfolders

Callback Details Report

Callback Summary Report

For more information about Callback reports, see the *Genesys CX Insights 9.0 User's Guide*. For information about configuring callback reporting, see the *Callback Solution Guide*.