



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

AIL Deployment Guide

Locating your SDK Component's Files

Contents

- 1 Locating your SDK Component's Files
 - 1.1 Locating the AIL Component Files
 - 1.2 Locating the MIL Component Files
 - 1.3 Locating the QIL Component's Files

Locating your SDK Component's Files

This appendix includes information on where to locate the compressed installation files, readme file, and templates on the installation CD-ROM for the Agent, Queued, and Media Interaction SDK components.

Locating the AIL Component Files

The required files for the AIL SDK can be found in the following location on the CD-ROM:

- documentation/, where you can find the readme file.
- AgentInteraction\Java\windows\, where Windows setup is located.
- AgentInteraction/Java/aix/, where AIX setup is located.
- AgentInteraction/Java/hp-ux/, where HP-UX setup is located.
- AgentInteraction/Java/linux/, where Linux setup is located.
- AgentInteraction/Java/solaris/, where Solaris setup is located.
- templates/, where template files are located.

Locating the MIL Component Files

The required files for the MIL SDK can be found in the following location on the CD-ROM:

- documentation/, where you can find readme files.
- MediaInteraction\Java\windows\, where Windows setup is located.
- MediaInteraction/Java/aix/, where AIX setup is located.
- MediaInteraction/Java/hp-ux/, where HP-UX setup is located.
- MediaInteraction/Java/linux/, where Linux setup is located.
- MediaInteraction/Java/solaris/, where Solaris setup is located.
- templates/, where template files are located.

Locating the QIL Component's Files

The required files for the QIL SDK can be found in the following location on the CD-ROM:

- documentation/, where you can find readme files.

- QueuedInteraction\Java\windows\, where Windows setup is located.
- QueuedInteraction/Java/aix/, where AIX setup is located.
- QueuedInteraction/Java/hp-ux/, where HP-UX setup is located.
- QueuedInteraction/Java/linux/, where Linux setup is located.
- QueuedInteraction/Java/solaris/, where Solaris setup is located.
- templates/, where template files are located.