

## **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Genesys Interactive Insights Deployment Guide

What Application Files Are Installed?

## What Application Files Are Installed?

The Genesys Interactive Insights (GI2) installation routine creates a root folder that contains the LCMBIAR file of the GI2 universe and supporting files. If you selected a default location for the installation routine to deploy the GI2, the root folder is:

- The C:\Program Files\GCTI\Genesys Interactive Insights directory on Windows platforms.
- The directory that you specified upon installation on UNIX platforms (in How Do I Install GI2 on UNIX?).

The following table describes the files and subfolders found in the root folder:

## Contents of the Root Folder

File Name	Description
gi2_customize_bo.bat (Windows) gi2_customize_bo.sh (UNIX)	Script that customizes the appearance of BI software with Genesys-specific images and Java Server Pages (JSP) that encompass the Genesys design.
gi2_deploy_main.bat (Windows) gi2_deploy_main.sh (UNIX)	Script that calls the following scripts: gi2_setenv, gi2_customize_bo, gi2_deploy_unv_rep, gi2_deploy_sum
gi2_deploy_unv_rep.bat (Windows) gi2_deploy_unv_rep.sh (UNIX)	This script calls the SAP Promotion Management Utility to deploy the GI2 elements into the BI repository using an .lcmbiar file.
gi2_setenv.bat (Windows) gi2_setenv.sh (UNIX)	Script that sets BI environment variables for connection to the BI repository, based on values that you specified during GI2 installation or that you supply manually. Other scripts rely on the contents of this script to connect to the BI repository.  Note: Because this file contains the unencrypted password to CMS, after installation, consider editing it to remove the password, if you are concerned about security.
insights.lcmbiar	File that contains an export of the GI2 universe, reports, PDF documents, measure maps, folders, users, groups, and their permissions.
ip_description.xml	File that lists the contents of the installation package.
read_me.html	File that contains general information about the installation package.
agg (subfolder)	Subfolder that contains files that support the  Reporting and Analytics Aggregates (RAA) component of Genesys Info Mart. Refer to the <i>Reporting and Analytics Aggregates Deployment Guide</i> for descriptions of the files in this folder.
com (subfolder)	Subfolder that contains customization files.

conf (subfolder)	Subfolder that contains the configuration file <b>biar properties</b> , which is generated when the <b>gi2_deploy_unv_rep.bat/sh</b> script runs during installation.
res (subfolder)	Subfolder that contains additional customization files, such as JavaServer Pages and other supporting files.