



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Info Mart User's Guide

Populating Interaction Data

5/6/2025

# Populating Interaction Data

Genesys Info Mart stores both voice and non-voice interaction facts (IFs) in the `INTERACTION_FACT` table. This page describes how IFs are populated.

## What do IFs represent?

Genesys Info Mart creates IFs to link together all facts related to a given interaction. IFs represent interactions from the perspective of the customer experience. For example, Genesys Info Mart represents every new inbound or outbound interaction as a new IF row; however, for multimedia interactions, an inbound interaction and an associated outbound reply are represented in the same IF.

Each interaction fact represents:

- The time span of the overall interaction
- Information that identifies the interaction parties
- Service indicators

Interaction facts can also be linked to the user data extension tables through keys.

For detailed information about the columns in the `INTERACTION_FACT` table, see the [Genesys Info Mart Physical Data Model](#) for your RDBMS.

## How are IFs populated?

The grain of the fact is an accumulating snapshot that summarizes facts that are related to a given interaction.

- The `TENANT` dimension is inherited from the underlying IRF that has the lowest ordinal. This is the first resource fact that was created for the interaction, and it generally has the earliest start time. In a network routing solution, all underlying network and premise facts are considered. If premise facts exist, the `TENANT` dimension is the tenant of the first premise fact; otherwise, the `TENANT` dimension is the tenant of the first network fact.
- The `INTERACTION_TYPE` and `MEDIA_TYPE` dimensions are inherited from the underlying IRF that has the lowest ordinal. This is the first resource fact that was created for the interaction, and it generally has the earliest start time. In a network routing solution, all underlying network and premise facts are considered.

**Important**

Any multimedia interaction subtype that you have configured in your environment but that is new to Genesys Info Mart is automatically added to the `INTERACTION_TYPE` table. Once it has been added, you can choose to have Genesys Info Mart disregard that subtype for all future transformation jobs by setting the appropriate value for the `IGNORE` field. By default, Genesys Info Mart transforms all interactions that have the newly added subtype.

New media types are also automatically added as Genesys Info Mart encounters them. By default, interactions that are associated with new media types are transformed as offline interactions. To set them as online interactions, enter the appropriate value in the `IS_ONLINE` field in the `MEDIA_TYPE` table.

For details, see the [Multimedia Interactions](#) page in the *Genesys Info Mart Deployment Guide*.

- The `MEDIA_SERVER_ROOT_IYN_ID` acts as a thread ID for interactions that are a continuation of a thread. For more information, see [Interaction Threads](#).
- As noted above, for multimedia interactions, an inbound interaction and an associated outbound reply are usually represented in the same IF. Starting with release 8.5.003, when a multimedia interaction that represents a reply is created after the parent interaction has already been terminated, the transformation job creates a new IF record with a new `INTERACTION_ID` value. In earlier releases, the transformation job might discard the child interactions during processing, resulting in the loss of metrics related to a late reply.

## Interaction Threads

### Important

The thread reporting described below is not related to the chat thread reporting introduced in release 8.5.014.09 for Genesys Engage cloud deployments with Advanced Chat.

Each customer interaction is represented in Genesys Info Mart with a new IF, but it is possible that different customer interactions are associated with one another. For example, a new inbound interaction from a customer might be a reply to a previous agent reply to another inbound interaction from that customer. A collection of related interactions is referred to as a thread. Genesys Info Mart indicates this thread relationship by showing the root interaction in the IF record for a descendant interaction.

- The `MEDIA_SERVER_ROOT_IYN_ID` identifies the IF that is considered to be the root (original) interaction in the thread. Population of this field depends on Genesys Info Mart's tracking of the thread, which is affected by the configured thread inactivity timeout (the `max-thread-duration-after-inactive-in-days` option). For an example, see the table below.
- `MEDIA_SERVER_ROOT_IYN_GUID` identifies the root interaction GUID, as reported by ICON as the `ROOTIRID`.

In addition, the IRF is populated with an `ANCHOR_FLAGS_KEY` that provides metrics about unique agent participation in an interaction or thread.

Tracking thread activity can negatively impact Genesys Info Mart performance and, starting with release 8.5.001, is optional. When `populate-thread-facts=false`, interactions that belong to the

same thread continue to indicate the same root interaction (by having a common value for MEDIA\_SERVER\_ROOT\_I\_XN\_GUID in the IF table), but there is no additional processing to populate the IRF.ANCHOR\_FLAGS\_KEY with additional details about the agent's involvement in the thread, or to consistently populate IF.MEDIA\_SERVER\_ROOT\_I\_XN\_ID with the interaction ID of the root interaction (indicated by MEDIA\_SERVER\_ROOT\_I\_XN\_GUID).

The table below provides a sample e-mail scenario to indicate how, if populate-thread-facts=true, Genesys Info Mart tracks the thread relationships for three related IFs, which have the same root interaction GUID: Two of the related IFs are considered to belong to the same thread, but the third one, which occurs after the thread inactivity interval has expired, is considered to start a new thread.

Date	E-mail Interaction	Interaction and Thread IDs in IF	
June 1	InboundNew: <i>Please send me 100 of ItemX and 50 of ItemY. My account number is 1234.</i>		
June 2	OutboundReply 1a from Agent1: <sup>a</sup> <i>Your account has been billed. Your order number is ZZ001.</i>	INTERACTION_ID: 161 MEDIA_SERVER_ROOT_I_XN_ID: Null MEDIA_SERVER_ROOT_I_XN_GUID: Null MEDIA_SERVER_I_XN_GUID: ROOTIRID-1	
June 2	OutboundReply 1b from Agent1: <i>Your order ZZ001 has been shipped.</i>		
June 2	InboundCustomerReply (to OutboundReply 1a): <i>There is a mistake in the billing details for order ZZ001.</i>		
June 15	OutboundReply 2a from Agent2: <sup>a</sup> <i>Correction has been made. Here are the correct billing details...</i>	INTERACTION_ID: 174 MEDIA_SERVER_ROOT_I_XN_ID: 161 MEDIA_SERVER_ROOT_I_XN_GUID: ROOTIRID-1	
Assuming no further activity on this thread and max-thread-duration-after-inactive-in-days=30, Genesys Info Mart closes the thread on July 16.			
July 20	InboundCustomerReply (to OutboundReply 1b): <i>Order ZZ001 arrived. We need</i>	INTERACTION_ID: 249 MEDIA_SERVER_ROOT_I_XN_ID: Null MEDIA_SERVER_ROOT_I_XN_GUID: Null	

Date	E-mail Interaction	Interaction and Thread IDs in IF	
	50 more of ItemY. Same account.		
July 21	OutboundReply 3a from Agent1: <sup>a</sup> Your account has been billed. Your order number is ZZ002.	<b>Note:</b> The MEDIA_SERVER_ROOT_I_XN_ID and MEDIA_SERVER_ROOT_I_XN_GUID are null because Genesys Info Mart considers this to be a new thread, after the previous thread (associated with INTERACTION_ID=161) was closed because of the inactivity timeout.	
July 22	OutboundReply 3b from Agent1: Your order ZZ002 has been shipped.		
July 22	InboundCustomerReply (to OutboundReply 2a): Based on the price of ItemY in order ZZ002, there is still a problem with the billing for order ZZ001.	INTERACTION_ID: 265 MEDIA_SERVER_ROOT_I_XN_ID: 249 MEDIA_SERVER_ROOT_I_XN_GUID: ROOTIRID-1	
July 22	OutboundReply 3c from Agent1: <sup>a</sup> You are correct. Your account has been adjusted.		
a. If this reply is the agent’s first participation in the interaction, in the reply, in the interaction thread, or in a reply in the interaction thread, the IRF for the agent includes an ANCHOR_KEYS value that indicates the applicable unique-participation metrics.			