



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Info Mart Deployment Guide

Enabling Reporting on Multimedia Activity

5/9/2025

# Enabling Reporting on Multimedia Activity

This page provides a high-level summary of the targeted task flow to enable Genesys Info Mart to support Multimedia details reporting. For a more general, comprehensive overview of deployment tasks, see [Overview: Deploying Genesys Info Mart](#).

## 1. Prepare the ICON application to capture and store Multimedia details.

When you configure the ICON application, ensure that:

- At a minimum, you set the following option values:
  - The **role** option includes the values `gcc`, `gls`, `gud`.  
**Note:** Starting with release 8.5.016.04, Genesys Info Mart does not require the `gcc`, `gud`, and `gls` values to occur together. See the discussion of [ICON Roles](#) for more information about setting the **role** option in deployments with Interaction Server Cluster.
  - **use-dss-monitor** = 1 (or true)
  - **partition-type** = 2
  - **calls-in-the-past** = 1 (or true)
  - **om-force-adata** = 1 (or true)
  - **gls-active-reason-codes** = 1 (or true)
  - **vq-write-mode** = 1
- Other Multimedia-related options that are described under [Data-Processing Options for Genesys Info Mart](#) are set as specified.
- You configure ADDP connections to all of the Interaction Servers (or HA pairs of Interaction Servers) in the deployment that ICON might be required to monitor.

For more information about how to configure the ICON application for Genesys Info Mart, see [Configuring ICON](#).

For more information about all of the ICON configuration options that affect ICON processing and data storage, see the [Interaction Concentrator Deployment Guide](#) for your release.

## 2. Prepare the IDB instance(s) from which Genesys Info Mart will obtain Multimedia details.

(Optional) After you have run the ICON-provided scripts to create the IDB, execute the **update\_idb\_for\_gim\_mm.sql** script, which Genesys Info Mart provides. For more information, see [Preparing IDBs to work with Genesys Info Mart](#).

## 3. Enable ICON to access the Multimedia details IDB(s).

When you create and configure the DAP application that enables the Multimedia details ICON to access IDB, ensure that you add the DAP to the **Connections** tab of the ICON Application object.

## 4. Configure and install the Genesys Info Mart application.

When you configure the Genesys Info Mart application, ensure that:

- The values of Genesys Info Mart configuration options are suitable for your deployment. For summaries of the available Genesys Info Mart options, see [Data-Processing Options for Genesys Info Mart](#), [Operations-Related Options for Genesys Info Mart](#), and [Genesys Info Mart Aggregation-Related Options for GCXI and RAA](#).
- You configure a connection to all of the ICON applications (or HA sets) that store Multimedia details.

For more information about how to configure the Genesys Info Mart application, see [Configuring the Genesys Info Mart Application](#).

### 5. Configure other objects, as required, to enable ICON and Genesys Info Mart reporting for Multimedia details.

- (For reporting on virtual-queue activity) Verify that the required ICON-related options are set correctly on the switch and DNS. In the **[gts]** section on the **Annex** of:
  - The Switch object that handles multimedia interactions, **support-dn-type-5** = 1
  - DN objects for virtual queues for multimedia interactions, **monitor** = 1

For more information about these options, see [ICON-Related Switch Options](#) and [DN Options: ICON-related options](#).

- In the **[gim-etl]** section on the **Annex** of the Switch object that handles multimedia interactions, configure the Genesys Info Mart-related options, as described in [Genesys Info Mart-Related Switch Options](#).
- (Optional) To override Genesys Info Mart Application settings for configured thresholds by media type at the tenant, switch, DN, or script level, set the supported Genesys Info Mart-related options on the applicable objects.

For summaries of the media-specific thresholds that you can configure at various levels, see [Data-Processing Options for Genesys Info Mart](#).

For more information about how to configure the applicable objects, see:

- [Procedure: Configuring the switch for ICON and Genesys Info Mart reporting](#)
- [Procedure: Setting Media Type Business Attribute object options for Genesys Info Mart reporting](#)
- [Procedure: Configuring a DN for ICON and Genesys Info Mart reporting](#)
- [Procedure: Setting Script object options for Genesys Info Mart reporting](#)
- Verify that all of the Interaction Servers that ICON is required to monitor for Multimedia details are enabled.

### 6. Enable Genesys Info Mart to access the Multimedia details IDB(s).

- When you configure the DAP application that enables Genesys Info Mart to access a Multimedia details IDB, ensure that the **role** option includes the value **ICON\_MM**. For more information, see [Preparing Extraction DAPs](#).
- On the **Connections** tab of the Genesys Info Mart Application object, add a connection to this DAP.

### 7. Customize the processing and storage of 3rd Party Media interaction data, if applicable.

- (Recommended) Before you start ETL processing, add to the **MEDIA\_TYPE** dimension table any new or missing online media types that might be associated with 3rd Party Media interactions in your deployment. Ensure that the **IS\_ONLINE** flag in the **MEDIA\_TYPE** record is set to 1. (You do not have to add offline media types in advance.)

For more information about how to add online media types to the Info Mart database schema, see [Setting up media types for online interactions](#). For more information about why Genesys recommends predefining expected online media types for 3rd Party Media interactions, see [Online and Offline Interactions](#).

- During runtime, if you want to change whether Genesys Info Mart processes a particular interaction subtype, alter the record for that interaction type in the **INTERACTION\_TYPE** dimension table, to set the value of the **IGNORE** field appropriately.

For more information about disabling transformation of interaction subtypes, see [Interaction Types and Subtypes](#).

8. **(Optional, in Genesys Chat deployments with Chat Server 8.5.203.09 or later and Genesys Info Mart 8.5.011 or later) Enable detailed reporting on chat session activity.**

See [Integrating Chat Server with Genesys Historical Reporting](#) in the *Chat Server Administration Guide*.