



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Info Mart Deployment Guide

IDB Tables Accessed by Genesys Info Mart

5/8/2025

IDB Tables Accessed by Genesys Info Mart

This page lists the IDB tables that the Genesys Info Mart extraction jobs access. The type of data that is extracted depends on the role that is configured for the DAP. For more information about configuring the DAPs that enable Genesys Info Mart to access IDB, see [Configuring Required DAPs](#) and the DAP role option.

Important

The following table lists only those IDB tables from which Genesys Info Mart actually extracts data. Genesys Info Mart does not populate all of the Global Interaction Database (GIDB) tables in the Info Mart database schema. For more information about the GIDB tables, see [Info Mart Database](#).

IDB Tables Extracted by Genesys Info Mart

DAP Role	Type of Data	Tables Extracted
ICON_CFG	Configuration details Data source: Configuration Server	GCX_AGENT_PLACE GCX_CAMPGROUP_INFO GCX_ENDPOINT_PLACE GCX_GROUP_AGENT GCX_GROUP_PLACE GCX_GROUP_ROUTEDN GCX_LOGIN_INFO GCX_SKILL_LEVEL GC_AGENT GC_ANNEX GC_CALLING_LIST GC_CAMPAIGN GC_ENDPOINT GC_GROUP GC_IVR GC_IVRPORT GC_LOGIN GC_PLACE GC_SCRIPT GC_SKILL GC_SWITCH GC_TENANT GC_TIME_ZONE G_DSS_CFG_PROVIDER
ICON_CORE	Voice details (including voice interactions; voice agent activity; user data; and ACD and virtual-queue activity) Data source: T-Server	GSYS_SYSPROCINFO G_IR G_IS_LINK G_IS_LINK_HISTORY G_CALL G_CALL_STAT G_PARTY G_PARTY_HISTORY GX_SESSION_ENDPOINT G_VIRTUAL_QUEUE G_ROUTE_RESULT G_ROUTE_RES_VQ_HIST

DAP Role	Type of Data	Tables Extracted
		G_USERDATA_HISTORY G_SECURE_USERDATA_HISTORY G_LOGIN_SESSION G_AGENT_STATE_HISTORY G_AGENT_STATE_RC G_AGENT_STATE_RC_A G_DND_HISTORY G_CUSTOM_DATA_S G_DSS_GCC_PROVIDER G_DSS_GLS_PROVIDER
ICON_MM	Multimedia details (including multimedia interactions; multimedia agent activity; user data; and interaction queue, interaction workbin, and virtual-queue activity) Data source: Interaction Server	G_IR G_CALL G_PARTY G_PARTY_HISTORY GX_SESSION_ENDPOINT G_AGENT_STATE_HISTORY G_AGENT_STATE_RC G_AGENT_STATE_RC_A G_VIRTUAL_QUEUE G_ROUTE_RESULT G_ROUTE_RES_VO_HIST G_USERDATA_HISTORY G_SECURE_USERDATA_HISTORY GM_F_USERDATA GM_L_USERDATA G_LOGIN_SESSION G_DND_HISTORY G_CUSTOM_DATA_S G_DSS_GCC_PROVIDER G_DSS_GLS_PROVIDER
ICON_OCS	Outbound Contact details Data source: Outbound Contact Server	GO_CHAIN GO_CHAINREC_HIST GO_FIELDHIST GO_SEC_FIELDHIST GO_METRICS GO_CAMPAIGN GO_CAMPAIGNHISTORY GOX_CHAIN_CALL G_DSS_GOS_PROVIDER