



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Info Mart Physical Data Model for a Microsoft SQL Server Database

Table SDR_SURVEY_I1

12/15/2025

Table SDR_SURVEY_I1

Description

Introduced: 8.5.005. Supported in certain Genesys Engage cloud deployments only.

In partitioned databases, this table is not partitioned.

This dimension table enables Session Detail Record (SDR) facts to be described based on responses to survey questions IQ1-IQ5. The capital letter (I) preceding the digits in the table name indicates that this table stores, and the corresponding question accepts, an integer response.

Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

Hint: For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

Column List

Legend

| Column | Data Type | P | M | F | DV |
|------------------|-------------|---|---|---|----|
| ID | int | X | X | | |
| CREATE_AUDIT_KEY | numeric(19) | | X | X | |
| IQ1 | int | | X | | -1 |
| IQ2 | int | | X | | -1 |
| IQ3 | int | | X | | -1 |

Table SDR_SURVEY_I1

| Column | Data Type | P | M | F | DV |
|--------|-----------|---|---|---|----|
| IQ4 | int | | X | | -1 |
| IQ5 | int | | X | | -1 |

ID

The primary key of this table.

CREATE_AUDIT_KEY

The surrogate key that is used to join to the CTL_AUDIT_LOG control table. The key specifies the lineage for data creation. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools--that is, applications that need to identify newly added data.

IQ1

Based on KVP: survey_iQ1

The answer from the caller to Integer-response question 1.

IQ2

Based on KVP: survey_iQ2

The answer from the caller to Integer-response question 2.

IQ3

Based on KVP: survey_iQ3

The answer from the caller to Integer-response question 3.

IQ4

Based on KVP: survey_iQ4

The answer from the caller to Integer-response question 4.

IQ5

Based on KVP: survey_iQ5

The answer from the caller to Integer-response question 5.

Index List

| CODE | U | C | Description |
|-----------------|---|---|--|
| I_SDR_SURVEY_I1 | X | | Improves access time, based on the CREATE_AUDIT_KEY value. |

Index I_SDR_SURVEY_I1

| Field | Sort | Comment |
|-------|-----------|---------|
| IQ1 | Ascending | |
| IQ2 | Ascending | |
| IQ3 | Ascending | |
| IQ4 | Ascending | |
| IQ5 | Ascending | |

Subject Areas

No subject area information available.