



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Info Mart Physical Data Model for an Oracle Database

Table LDR_POSTAL_CODE

Table LDR_POSTAL_CODE

Description

Introduced: 8.5.012.15

In partitioned databases, this table is not partitioned.

This dimension table allows CX Contact record facts to be described based on postal code values of contact list records. Each row describes one postal code.

Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

Hint: For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

Column List

Legend

Column	Data Type	P	M	F	DV
ID	NUMBER(10)	X	X		
CREATE_AUDIT_KEY	NUMBER(19)		X	X	
POSTAL_CODE	VARCHAR2(32 CHAR)		X		unknown

ID

The primary key of this table. This ID is referenced from other tables as LDR_POSTAL_CODE_KEY.

CREATE_AUDIT_KEY

The surrogate key that is used to join to the CTL_AUDIT_LOG control table. The key specifies the lineage for data creation. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools--that is, applications that need to identify newly added data.

POSTAL_CODE

Postal code of the record from the contact list.

Index List

CODE	U	C	Description
I_LDR_POSTAL_CODE	X		Ensures that the combinations of values that are stored in the dimension table are unique.

Index I_LDR_POSTAL_CODE

Field	Sort	Comment
POSTAL_CODE	Ascending	

Subject Areas

No subject area information available.