



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Info Mart Physical Data Model for an Oracle Database

Table SDR_SURVEY_S1

Table SDR_SURVEY_S1

Description

Introduced: 8.5.005. Supported in certain Genesys Engage cloud deployments only.
Modified: 8.5.010 (in Microsoft SQL Server, data type for the SQ* columns modified in single- and multi-language databases)

In partitioned databases, this table is not partitioned.

This dimension table enables Session Detail Record (SDR) facts to be described based on responses to survey questions SQ1-SQ5. The capital letter (S) preceding the digits in the table name indicates that a string response is expected.

Important

Note for customers using Data Export Capability: If the target database for exported Info Mart data is hosted on Microsoft SQL Server in your deployment, and if you use a Genesys-provided **update_target_*.sql** script to create or update the target schema, be aware of the following consideration: Prior to Genesys Info Mart release 8.5.014.34, the sizes of some columns in this table in the Microsoft SQL Server target database differ from what is documented on this page.

Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

Hint: For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

Column List

Legend

Column	Data Type	P	M	F	DV
ID	NUMBER(10)	X	X		
SQ1	VARCHAR2(255 CHAR)		X		NO_VALUE
SQ2	VARCHAR2(255 CHAR)		X		NO_VALUE
SQ3	VARCHAR2(255 CHAR)		X		NO_VALUE
SQ4	VARCHAR2(255 CHAR)		X		NO_VALUE
SQ5	VARCHAR2(255 CHAR)		X		NO_VALUE
CREATE_AUDIT_KEY	NUMBER(19)		X	X	

ID

The primary key of this table.

SQ1

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases)

Based on KVP: survey_sq1

The answer from the caller to string-response question 1.

SQ2

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases)

Based on KVP: survey_sq2

The answer from the caller to string-response question 2.

SQ3

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases)

Based on KVP: survey_sq3

The answer from the caller to string-response question 3.

SQ4

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases)

Based on KVP: survey_sQ4

The answer from the caller to string-response question 4.

SQ5

Modified: 8.5.010 (in Microsoft SQL Server, data type modified in single- and multi-language databases)

Based on KVP: survey_sQ5

The answer from the caller to string-response question 5.

CREATE_AUDIT_KEY

The surrogate key that is used to join to the CTL_AUDIT_LOG control table. The key specifies the lineage for data creation. This value can be useful for aggregation, enterprise application integration (EAI), and ETL tools--that is, applications that need to identify newly added data.

Index List

CODE	U	C	Description
I_SDR_SURVEY_S1	X		Improves access time, based on the CREATE_AUDIT_KEY value.

Index I_SDR_SURVEY_S1

Field	Sort	Comment
SQ1	Ascending	
SQ2	Ascending	
SQ3	Ascending	
SQ4	Ascending	
SQ5	Ascending	

Subject Areas

No subject area information available.