



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Rules System Deployment Guide

Installing the GRDT Component

12/17/2025

Installing the GRDT Component

Contents

- **1 Installing the GRDT Component**
 - **1.1 Online Installation**
 - **1.2 Purpose**
 - **1.3 Prerequisites**
 - **1.4 Procedure**
 - **1.5 Offline Installation**

Online Installation

Purpose

To install the Genesys Rules Development Tool (GRDT). The GRDT is an Eclipse plug-in that can be installed either into a stand-alone Eclipse instance or into Genesys Composer.

Prerequisites

- Genesys Composer or Eclipse must be installed. If you want to install the GRDT Eclipse plug-in into a stand-alone Eclipse IDE platform (not Composer), and do not already have Eclipse, you can download it from the following location: <http://www.eclipse.org/downloads/>
- Ensure your version of Eclipse is version 3.5.0 or higher. In Eclipse, select **Help > Check for Updates**.
- Before installing GRDT in Composer, enable the Galileo update site in Composer. This is found in **Windows/Preferences**, under the **Install/Updates/Available Software Sites** node. Find or add the entry for <http://download.eclipse.org/releases/galileo> and enable it.

Procedure

1. Locate the GRDT installation zip file on the Genesys Rules CD (in the **rulesdevelopment** folder) and save it locally.
2. Start up Eclipse or Composer.
3. In Eclipse or Composer, select **Help > Install New Software**.
4. Browse to the GRDT installation zip file and drag it onto the **Available Software** dialog box. This action adds the location as a "site". When it has been added, it will appear in the drop-down list. It does not have to be added each time. If you get an error when you drag and drop the file, open the drop-down list to see if the site already exists, and select it from the list.
5. Check **Genesys Rules System** in the list of software and click **Next**.
6. Check **Template Development Tool**, accept the license terms, and click **Finish**.

Important

If you do not check the checkbox, and click **Next**, you will get an error.

7. Change the perspective so that you can view the GRDT interface. Navigate to **Window > Open Perspective > Other > Template Development**.
8. Click **Server Preferences**, and edit the following information (you can also access these preferences by directly navigating to **Window/Preferences/Genesys Rules System/Repository Server**):
 - **Name**—The name of the server on which the web container is running that is hosting the GRAT server.
 - **Port**—The listening port for your web container (such as 8080).
 - **servlet-path**:genesys-rules-authoring.
 - In the **Authentication** section, enter the user name and password for a user who is defined in Configuration Server. The user entered here (or an access group to which the user belongs) must have, at a minimum, Read and Execute permissions to the Genesys Rules Authoring client application (in Configuration Server) in order to access the Rules Repository through the GRDT. That is, the user whose name and password is provided here must have Read and Execute permissions or must belong to an access group that has those permissions to the GRAT client Application object. Refer to **Role-Based Access Control** for more information about roles.

Important

Even after configuring the connection parameters to the GRS repository server as described in Step 8, you will not see a connection to the GRS repository in the GRS Server Explorer view of GRDT until you start your application server, so that the GRAT web application is deployed and running.

- While still in the **Preferences** dialog, select **Genesys Rules System/Configuration Server**, and edit the following information:
 - **Name**—The name of the server on which the Genesys Configuration Server is running.
 - **Port**—The listening port for the Genesys Configuration Server (normally 2020).
 - **Application**—The name, as configured in Genesys Configuration Server, of the GRAT client application that you created, as described earlier in **Installing the GRAT Component**.
 - **User name**—The name of a Configuration Server user. Note that this user's access control determines which objects can be accessed from GRDT, such as Business Attributes and Transaction objects.
 - **Password**—The password of the Configuration Server user.
- If you have a sample to import, navigate to **File > Import > General > Existing Projects into Workspace** and click **Next**.
- Browse to the sample, check in the list of projects, and click **Finish**.

Important

If you are working with Genesys Technical Support, you will need to supply the exact version of the GRDT you are using. Refer to **Locating the GRDT Version Number** for information about how to find the version number.

Offline Installation

For environments where internet access is not available, copy the entire Composer directory to a 'sandbox' where internet is available, then install GRDT and the required dependencies. Once GRDT is working as expected copy the entire directory structure back to the production machine.

Next Steps

- Before using the GRDT, you will need to set up users and various script parameters. See **Template Script Objects** and **Configuring a User** for more information.