



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Rules System REST API Reference Guide

Permissions

12/17/2025

Contents

- 1 Permissions
 - 1.1 Method
 - 1.2 Syntax
 - 1.3 Request Body
 - 1.4 Response Body
 - 1.5 HTTP Status Codes
 - 1.6 Notes

Permissions

Method

GET

Syntax

/grs/v1/permissions/{tenantId}

Request Body

N/A

Response Body

```
{
  "canCreatePackage":true,
  "canModifyPackage":true,
  "canDeletePackage":true,
  "canDeployPackage":true,
  "canViewRule":true,
  "canCreateRule":true,
  "canModifyRule":true,
  "canEditRuleOnly":false,
  "canDeleteRule":true,
  "canViewCalendar":true,
  "canCreateCalendar":true,
  "canModifyCalendar":true,
  "canDeleteCalendar":true,
  "canViewPackageSnapshot":true,
  "canCreatePackageSnapshot":true,
  "canDeletePackageSnapshot":true,
  "canViewTestScenario":true,
  "canCreateTestScenario":true,
  "canModifyTestScenario":true,
  "canDeleteTestScenario":true,
  "canExecuteTestScenario":true,
  "canCreateTemplate":true,
  "canModifyTemplate":true,
  "canDeleteTemplate":true
}
```

HTTP Status Codes

- 200 OK—Response body provided
- 401 Unauthorized—APIToken not valid
- 403 Forbidden—User does not have permission for the specified tenant
- 503—Service Unavailable

Notes

User must have permission to the specified tenant ID. Use Query Tenants to get a list of valid tenant IDs for this logged in user.