

GENESYS[®]

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Skills Management Automated Install and Upgrade Guide

Validating OrgData Configuration

Validating OrgData Configuration

You can validate your current OrgData configuration by running the following procedure.

1. Login to Swagger URL. For example, http://pdna.skillsmanager.net/api/swagger/ui/index#/

\varTheta swagger	http://pe-baserapits-agger/docs/v1	api_key	
Performance	DNA API		
DnaScores		Show/Hide List Operations	
Крі		Show/Hide List Operations	
OAuthProviders		Show/Hide List Operation.	
OrgData		Show/Hide List Operation:	
GET /OrgData/Us	erFields	Retrieves the User Field deta ²	
Post /OrgData/Val	idate	Validate metho	
POST /OrgData/Pro	ocess	Process meth	
PUT /OrgData/Up	load	Uploads a configur	
GET /OrgData		Gets the ConfigXml fo	
/OrgDat-		Upder ConfigXml fu	

- 2. Click and expand OrgData API set.
- 3. Click /**OrgData/Validate** POST method.
- 4. Click **Try it Out!** to run the validation. This will run the validation and display the results.
 - If you receive a *Response Class (Status 200)*, your OrgData configuration is valid.
 - If you receive a Response Class (Status 400), your OrgData configuration is invalid.
- 5. Check the **Response Body** section for other validation errors and modify the **OrgData Setup** settings accordingly to correct the configuration.

Tip

Genesys recommends to batch the information that is sent to the API for validation. The Tenant Landlord can configure this batch size in the **Validate User Field Batch** Size field on the System > Global Settings page.