

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

GVP Web Services API

MCP Peak Report

Contents

- 1 MCP Peak Report
 - 1.1 Web Service Endpoint
 - 1.2 Input Parameters
 - 1.3 Output Format

GVP Web Services API

MCP Peak Report

This report describes the peak usage of the Media Control Platform within a period of time, as a sequence of peaks within some fixed duration (known as "granularity") between some start and end time. Each report contains a manifest section.

Web Service Endpoint

This report is available at the web service endpoint /ems-rs/operations/peaks/MCP.

Input Parameters

This report accepts the following Request URI parameters:

Parameter	Description
granularity	This describes the unit of time for this report. It can take one of the following value:
	FIVE_MINUTES
	THIRTY_MINUTES
	• HOUR
	• DAY
	• WEEK
	• MONTH
	Each bin of the report will represent the number of calls arrived within that period of time. This parameter is required.
from	This describes the start of the period the report would be for. If the "from" does not align with the granularity, the report will normalize the "from" time to the granularity boundary mark before the specified value. This parameter is required.
to	This describes the end of the period the report would be for. If the "to" does not align with the granularity, the report will normalize the "to" time to the granularity boundary mark after the specified value. This parameter is optional.
comp-id	This describes the target components. This may be specified zero or more times. If specified, the report will contain arrival data only for the specified set of comp-id's. If no comp-id is specified, the report will

GVP Web Services API

Parameter	Description
	contain arrival data for all the Media Control Platform components in the system.
sma-period	This takes a value of a positive integer. It can be specified only if the granularity parameter equals DAY. When this parameter is specified, the generated report would contain data for simple moving average of daily data for the past x days, where x is the value of the 'sma-period' parameter. That is, the value for some Date in the report is the average value of the x days on and before Date for the data type requested. If no value is specified for the sma-period parameter, a default value of 42 is used.

Output Format

The output for this report consists of a list of <call-peaks> XML elements. Each <call-peaks> element contains a sequence of arrival data in the requested time range, for the specified Component. Each <bin> in the sequence represents the peak within a unit of time specified by granularity, and it is further broken down into call type. It conforms to the RelaxNG schema CallPeakReport.rng. Download the GVP RNG Schemas An example report body for this report is as follows:

```
<call-peaks comp-type="MCP" start="2010-02-03T08:00:00Z" end="2010-02-03T10:00:00Z"</pre>
granularity="HOUR">
    <components>
      <component href="/components/144" name="MCP1" type="MCP"/>
    </components>
    <br/>
<br/>
dins count="2">
      <br/><br/>din index="0">
        <calls type="INBOUND" count="1" />
      </bin>
      <br/><br/>din index="1" />
    </bins>
  </call-arrivals>
  <call-arrivals comp-type="MCP" start="2010-02-03T08:00:00Z" end="2010-02-03T10:00:00Z"</pre>
granularity="HOUR">
    <components>
      <component href="/components/145" name="MCP2" type="MCP"/>
    </components>
    <br/><br/>count="2">
      <br/><br/>din index="0">
        <calls type="INBOUND" count="1" />
        <calls type="BRIDGED" count="1" />
      </bin>
      <br/><br/>din index="1" />
    </bins>
  </call-peaks>
```

GVP Web Services API 4