



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

GVP Web Services API

Media Service Arrival Report

5/13/2025

Contents

- 1 Media Service Arrival Report
 - 1.1 Method: GET
 - 1.2 Query/Path Parameters
 - 1.3 Responses
 - 1.4 REST API URLs

Media Service Arrival Report

This report lists the Arrivals of all calls using a given Media Service type for a sequence of time periods of fixed duration within a specified time range. The duration length depends on the specified "granularity."

Method: GET

Query/Path Parameters

Parameter	Description
FROM* (mandatory)	This describes the start of the period the report would be for. It takes If the "from" does not align with the granularity, the report will normalize the "from" time to the granularity boundary mark before the specified value. It can take a format of "YYYY-MM-DD'T'HH:mm:ss[.SSS][zzzz]", where zzzz can be one of +mm:ss, -mm:ss, or Z
GRANULARITY* (mandatory)	This describes the unit of time for this report. It can take one of the following values: "FIVE_MINUTES", "THIRTY_MINUTES", "HOUR", "DAY", "WEEK", "MONTH". Each bin of the report will represent the number of calls arrived within that period of time.
SMA-PERIOD	This takes a value of a positive integer. It can be specified only if the granularity parameter equals DAY. When this parameter is specified, the generated report would contain data for simple moving average of daily data for the past x days, where x is the value of the "sma-period" parameter. That is, the value for some Date in the report is the average value of the x days on and before Date for the data type requested.
TENANT-ID	This describes the target Tenant Config Server DBID. This may be specified one or more times. If specified, the report will contain data only for the specified tenant-id's.
TO	This describes the end of the period the report would be for. If the "to" does not align with the granularity, the report will normalize the "to" time to the granularity boundary mark after the specified value. It can take a format of "YYYY-MM-DD'T'HH:mm:ss[.SSS][zzzz]", where zzzz can be one of +mm:ss, -mm:ss, or Z

Responses

Number	Response / Description
200	Success The request has succeeded.
400	Request Failed The Reporting Server has failed to handle user's request.
503	Query timed out The query has timed out.

REST API URLs

The REST API URL for each media service type is:

<http://ca-to-hare:8080/ems-rs/operations/durations/media-service/TREATMENT>
<http://ca-to-hare:8080/ems-rs/operations/durations/media-service/MEDIA>
<http://ca-to-hare:8080/ems-rs/operations/durations/media-service/CPD>
<http://ca-to-hare:8080/ems-rs/operations/durations/media-service/RECORDING>
<http://ca-to-hare:8080/ems-rs/operations/durations/media-service/CONFERENCE>