



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

GVP Documentation Supplement

Corrections to the VXML tags send, receive, and block

12/20/2025

Corrections to the VXML tags send, receive, and block

SUMMARY: "Form" is *not* a Parent of the <send> and <receive> tags; "Send" and "Receive" are Children of the <block> tag.

- REMOVE "form" from the Parent list for the <send> and "receive" tags.
- ADD "send" and "receive" to the Child list for the <block> tags.

The next publication of the [GVP 8.1 Voice XML Help](#) will include these revisions:

HELP TOPIC: Standard VoiceXML > VoiceXML Tags
<send>

SECTION: Parent

Parent

Block, Catch, Error, Filled, Foreach, ~~Form~~, Help, If, Noinput, and Nomatch

HELP TOPIC: Standard VoiceXML > VoiceXML Tags
<receive>

SECTION: Parent

Parent

Block, Catch, Error, Filled, Foreach, ~~Form~~, Help, If, Noinput, and Nomatch

HELP TOPIC: Standard VoiceXML > VoiceXML Tags
<block>

SECTION: Child

Child

Assign, Clear, Data, Disconnect, Exit, Foreach, Goto, If, Log, Prompt, ~~Receive~~, Reprompt, Return, Script, ~~Send~~, Submit, Text (#PCDATA), Throw, Value, and Var