



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Widgets Reference

Configuration

12/17/2025

Contents

- 1 Configuration
 - 1.1 Description
 - 1.2 Example
 - 1.3 Options

Configuration

Description

Search reads its configuration from the subnode of the KnowledgeCenterService configuration namespace '_genesys.widgets.knowledgecenter.search'.

Example

```
window._genesys.widgets.knowledgecenter.search = {SearchButton: {  
    enabled: true,  
    template: <div class='cx-icon' data-icon='search'></div>,  
    effect: 'fade',  
    openDelay: 1000,  
    effectDuration: 300  
};
```

Options

Name	Type	Description	Default	Required
SearchButton.enabled	boolean	Enable/disable search button on screen.	false	
SearchButton.template	string	Custom HTML string template for search button.	<pre><div class='cx-widget cx-search-button cx-side-button' data-message='SearchButton' data-gcb-service-node='true'></pre>	
SearchButton.effect	string	Type of animation effect when revealing chat	fade	

Name	Type	Description	Default	Required
		button. 'slide' or 'fade'.		
SearchButton.openDelay	Number	Number of milliseconds before displaying chat button on screen.	1000	
SearchButton.effectDuration	Number	Length of animation effect in milliseconds	300	