



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

CompleteConference

5/10/2025

CompleteConference

This operation is part of the [Voice API](#) section of the [Web Services API](#).

Overview

Completes a previously initiated conference. Once completed, the two separate calls are brought together so that all three parties are participating in the same call.

Request URL	/api/v2/me/calls/{id}
HTTP method	POST
Required features	api-voice

Parameters

Parameter	Value
operationName	CompleteConference
consultCallUri	You can use this optional parameter to specify the consult call that should be used to complete the conference. If not provided, Web Services determines the related call.

Sample

Request

```
POST api/v2/me/calls/01RCC3N118B1V0SL807GK2LAES000000B
{
  "operationName": "CompleteConference"
}
```

HTTP response

```
{
  "statusCode": 0
}
```

CometD notification

The first notification is that the consult call is released:

```
{
  "data":{
    "notificationType":"StatusChange",
    "call":{
      "id":"01RCC3N118B1V0SL807GK2LAES00000B",
      "state":"Released",
      "callUuid":"01RCC3N118B1V0SL807GK2LAES00000B",
      "connId":"007102719818000b",
      "deviceUri":"http://127.0.0.1:8080/api/v2/devices/631608b3-ceb1-472b-
ba05-2ae39555b0d1",
      "participants":[
        {
          "e164Number":"",
          "formattedPhoneNumber":"15002",
          "phoneNumber":"15002",
          "digits":"15002"
        }
      ],
      "dnis":"15002",
      "callType":"Consult",
      "capabilities":[
      ],
      "parentCallUri":"http://127.0.0.1:8080/api/v2/me/calls/
01RCC3N118B1V0SL807GK2LAES000009",
      "duration":"24",
      "mute":"Off",
      "supervisorListeningIn":false,
      "monitoredUserMuted":false,
      "monitoring":false,
      "uri":"http://127.0.0.1:8080/api/v2/me/calls/01RCC3N118B1V0SL807GK2LAES00000B",
      "path":"/calls/01RCC3N118B1V0SL807GK2LAES00000B",
      "parentCallPath":"/calls/01RCC3N118B1V0SL807GK2LAES000009"
    },
    "phoneNumber":"15000",
    "extensions":{"
      "BusinessCall":0
    },
    "messageType":"CallStateChangeMessage"
  },
  "channel":"/v2/me/calls"
}
```

The second notification is that the participants for the original call have been updated to include the new party:

```
{
  "data":{
    "notificationType":"ParticipantsUpdated",
    "call":{
      "id":"01RCC3N118B1V0SL807GK2LAES000009",
      "state":"Established",
      "callUuid":"01RCC3N118B1V0SL807GK2LAES000009",
      "connId":"0071027198180009",
      "deviceUri":"http://127.0.0.1:8080/api/v2/devices/631608b3-ceb1-472b-
ba05-2ae39555b0d1",

```

```
"participants":[
  {
    "e164Number": "",
    "formattedPhoneNumber": "15002",
    "phoneNumber": "15002",
    "digits": "15002"
  },
  {
    "e164Number": "",
    "formattedPhoneNumber": "15001",
    "phoneNumber": "15001",
    "digits": "15001"
  }
],
"dnis": "15001",
"callType": "Internal",
"capabilities": [
  "UpdateUserData",
  "SendDtmf",
  "InitiateConference",
  "Hold",
  "SingleStepTransfer",
  "InitiateTransfer",
  "RemoveParticipantFromConference",
  "AttachUserData",
  "DeleteUserDataPair",
  "SingleStepConference",
  "DeleteUserData",
  "MuteCall",
  "Hangup"
],
"duration": "748",
"mute": "Off",
"supervisorListeningIn": false,
"monitoredUserMuted": false,
"monitoring": false,
"uri": "http://127.0.0.1:8080/api/v2/me/calls/01RCC3N118B1V0SL807GK2LAES000009",
"path": "/calls/01RCC3N118B1V0SL807GK2LAES000009"
},
"phoneNumber": "15000",
"extensions": {
  "BusinessCall": 0
},
"messageType": "CallStateChangeMessage"
},
"channel": "/v2/me/calls"
}
```