

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

Business Unit API

Business Unit API

This document describes the Business Unit API section of the Provisioning API portion of the Web Services API and provides guidance for developers building voice-related client applications.

Contents

- 1 Business Unit API
 - 1.1 Overview
 - 1.2 Example Scenario

Overview

The Business Unit API provides operations related to Business Units.

Currently the relationship between agents, supervisors, skills, and queues is tracked at the contact center level. This works for smaller deployments, but in larger contact centers it makes more sense to form groups that are assigned a subset of these contact center resources in order to display and manipulate data that is relevant for the currently logged in user.

Business Unit is a group with type=BusinessUnit It contains the following subresources - users, supervisors, queues and skills:

```
GET /groups/{id}?subresources=*
{
    "name":"Tech Support",
    "contains":["users", "skills", "queues"],
    "users":[{"userName":"userl", etc}],
    "supervisors":[{"userName":"supervisorl", etc}],
    "skills":[{"name":"tech support.Spanish", "description":"Spanish skill"}],
    "queues":[{"name":"queuel", etc}]
    "type":"BusinessUnit"
}
```

As all other sub-resources, "skills" and "queues" are accessible through a call. For example:

```
GET /groups/{id}/skills,
GET /groups/{id}/queues,
GET /groups/(id}/users,
GET /groups/{id}/supervisors or
GET /groups/{id}?subresources=.
```

Groups that contain users will be synchronized with Configuration Server "agent groups" with the associated name as described here. All other resources in the group (for example: skills, queues) does not have a Configuration Server representation of the relationship.

A Configuration Server agent group will always represented as a Business Unit in Web Services which means that other resources may potentially be associated with the group within Web Services.

Business Unit API

Retrieve Content

Retrieve List of Business Units

Example Scenario

Scenario	Expected Sequence	Role
Retrieve all entities the current user is responsible for	 Retrieve Business Unit membership Determine where the current user is in supervisors list 	Any user
	 All entities may be retrieved for all Business Units where the current user is a supervisor 	