



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Web Services API Reference

SetDisposition

5/10/2025

# SetDisposition

This operation is part of the [Chat API](#) section of the [Web Services API](#).

## Overview

This sets the disposition for a specified chat using the provided parameters. It will be processed by updating the DispositionCode key in the user data.

|                          |                       |
|--------------------------|-----------------------|
| <b>Request URL</b>       | /api/v2/me/chats/{id} |
| <b>HTTP Method</b>       | POST                  |
| <b>Required Features</b> | api-multimedia        |

## Parameters

| Parameter      | Value                                                                                                                                                                   |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| operationName  | SetDisposition                                                                                                                                                          |
| disposition    | A string value to be used for the chat disposition.                                                                                                                     |
| dispositionKey | An optional string value to be used for the as the userdata key for the chat disposition. If not specified, the disposition key configured for the server will be used. |

## Sample

### Request

```
POST api/v2/me/chats/0000Na9B26EF003M
{
  'operationName': 'SetDisposition',
  'dispositionKey': 'DispositionCode',
  'disposition': 'IssueResolved'
}
```

### Response

```
{
  "statusCode": 0
}
```

## Notification

```
{
  u'referenceId': 34,
  u'chat': {
    u'participants': [
      {
        u'nickname': u'TestName',
        u'type': u'Agent',
        u'participantId': u'009052C73228006D'
      },
      {
        u'nickname': u'FirstL',
        u'type': u'Customer',
        u'participantId': u'009052C73223006B'
      }
    ],
    u'state': u'Chatting',
    u'id': u'0000Na9B26EF003M',
    u'capabilities': [
      u'Transfer',
      u'Complete',
      u'Leave',
      u'InFocus',
      u'SendMessage',
      u'SendStartTypingNotification',
      u'SendStopTypingNotification'
    ],
    "userData": {
      "DispositionCode": "IssueResolved"
    },
    u'uri': u'http: //localhost:8080/api/v2/chats/0000Na9B26EF003M'
  },
  u'notificationType': u'PropertiesUpdated',
  u'messageType': u'ChatStateChangeMessage'
}
```