



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

Create

12/12/2025

Create

This operation is part of the [Email API](#) section of the [Web Services API](#).

Overview

Create a new empty email interaction.

Request URL	/api/v2/me/emails
HTTP Method	POST
Required Features	api-multimedia

Parameters

Parameter	Value
operationName	Create
parentId	The ID of an interaction that's the parent of this email. (optional)
queueUri	The queue URI for the specified email.
userData	The key value data to attach. (optional)

Sample

Request

```
HTTP POST /api/v2/me/emails
{
  "operationName": "Create",
  "queueUri": "http://localhost:8080/api/v2/queues/995655ec-81a5-46b0-82d0-3f2c5eca263d"
}
```

Response

```
{
  "statusCode": 0
}
```

Notification

```
{
  "referenceId": 22,
  "notificationType": "StatusChange",
  "messageType": "EmailStateChangeMessage",
  "email": {
    "state": "Composing",
    "id": "01QG9WAK37H38024",
    "capabilities": [
      "Cancel",
      "Send",
      "AddComment",
      "AttachUserData",
      "UpdateUserData",
      "DeleteUserData",
      "SetDisposition",
      "SetInFocus",
      "Transfer"
    ],
    "uri": "http://localhost:8080/api/v2/email/01QG9WAK37H38024"
  }
}
```

Item	Description
messageType	Denotes the category of message.
notificationType	Denotes the purpose of the notification.
email	The element containing all email specific data.