



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Web Services API Reference

Cancel

# Cancel

This operation is part of the [Twitter API](#) section of the [Web Services API](#).

## Overview

Cancels a Twitter interaction.

|                          |                        |
|--------------------------|------------------------|
| <b>Request URL</b>       | /api/v2/me/tweets/{Id} |
| <b>HTTP Method</b>       | POST                   |
| <b>Required Features</b> | api-multimedia         |

## Parameters

| Parameter     | Value  |
|---------------|--------|
| operationName | Cancel |

## Samples

### Request

```
POST /api/v2/me/tweets/01QQQG2MU214P05G
{
  "operationName": "Cancel"
}
```

### HTTP Response

```
{
  "statusCode": 0,
  "referenceId": 12
}
```

### CometD Response

```
{
  "messageType": "TwitterStateChangeMessage",
  "notificationType": "StatusChange",
  "referenceId": 12,
  "twitter": {
```

Cancel

---

```
    "capabilities": [
      ],
      "id": "01QQQG2MU214P05G",
      "state": "Canceled",
      "twitterType": "Outbound",
      "uri": "http://192.168.83.25:8080/api/v2/tweet/01QQQG2MU214P05G"
    ]
  }
```