



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services and Applications Deployment Guide

Initialize Oracle

12/19/2025

Contents

- 1 Initialize Oracle
 - 1.1 Development environment
 - 1.2 Single data center
 - 1.3 Two data centers

Initialize Oracle

This article describes the initialization steps for Oracle Database 19c and the hardware requirements for different deployment setups.

Important

Oracle Database is only required if Web Services and Applications stores persistent data such as:

- Custom Contacts
- Custom Settings

Typically, Oracle initialization doesn't require to create a database instance, only a new dedicated account and granting required permissions is necessary. However, if a dedicated database instance for GWS is required by policy, it should be created according to the official Oracle documentation: [Creating a Database with the CREATE DATABASE Statement](#).

To create an account which is a database user through which GWS connects to the Oracle database, the following SQL DDL-statement can be used:

```
CREATE USER gws_dev
  IDENTIFIED BY gws_password
  DEFAULT TABLESPACE gws_env
  ACCOUNT UNLOCK;
```

For more details and options, please see [CREATE USER Statement](#).

The following SQL command grants required privileges to the created account on the previous step (refer to GRANT Statement for more information):

```
GRANT CONNECT,
  CREATE TABLE,
  CREATE VIEW,
  CREATE PROCEDURE,
  UNLIMITED TABLESPACE
  TO gws_dev;
```

Review the following tables to understand the hardware requirements of Oracle Database for different environments.

Development environment

Requirements	Description
Oracle version	Oracle XE
HA mode	none
Memory	At least 4 GB per Node and should be increased as database size increases to ensure optimal performance.
Processor	2 cores
Hard Disk / Storage Disk	10 GB
Networking	Localhost or internal network access.
Persistence	Database backup mechanism for data persistence.

Single data center

Requirements	Description
Oracle version	Oracle 19c
HA mode	RAC
Memory	At least 8 GB per Node and should be increased as database size increases to ensure optimal performance.
Processor	Minimum 2 cores per node
Hard Disk / Storage Disk	4 drives (Data, Log, Backup, TempDB), 100GB per drive
Networking	Optimized network configuration for intra-data center communication.

Two data centers

Requirements	Description
Oracle version	Oracle 19c
HA Mode	DataGuard or MAA
Memory	At least 16 GB per Node and should be increased as database size increases to ensure optimal performance.
Processor	Minimum 2 cores per node
Hard Disk / Storage Disk	4 drives(Data, Log, Backup, TempDB), 150 GB per drive
Networking	High-speed, low-latency connections between data centers