



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Web Services and Applications Configuration Guide

Active Recording

# Active Recording

Workspace Web Edition provides options that enable agents to control their recordings:

## Contents

- **1 Active Recording**
  - 1.1 `privilege.active-recording.can-monitor-recording`
  - 1.2 `privilege.active-recording.can-pause`
  - 1.3 `privilege.active-recording.can-resume`
  - 1.4 `privilege.active-recording.can-start`
  - 1.5 `privilege.active-recording.can-stop`
  - 1.6 `privilege.active-recording.can-use`

### privilege.active-recording.can-monitor-recording

- Default Value: true
- Valid Values: true, false
- Changes take effect: When the session is started or restarted.
- Description: Specifies whether the call monitoring indicator is displayed to agents when their calls are being recorded. The Call Recording functionality (for VoIP/SIP enabled agents only) enables you to record the current voice interaction with a contact or an internal target. Depends on privilege.active-recording.can-use.

### privilege.active-recording.can-pause

- Default Value: true
- Valid Values: true, false
- Changes take effect: When the session is started or restarted.
- Description: Allows an agent to pause the Active Recording. Depends on privilege.active-recording.can-use.

### privilege.active-recording.can-resume

- Default Value: true
- Valid Values: true, false
- Changes take effect: When the session is started or restarted.
- Description: Allows an agent to resume the Active Recording. Depends on privilege.active-recording.can-use.

### privilege.active-recording.can-start

- Default Value: true
- Valid Values: true, false
- Changes take effect: When the session is started or restarted.
- Description: Allows an agent to start the Active Recording. Depends on privilege.active-recording.can-use.

### privilege.active-recording.can-stop

- Default Value: true
- Valid Values: true, false
- Changes take effect: When the session is started or restarted.
- Description: Allows an agent to stop the Active Recording. Depends on privilege.active-recording.can-use.

### privilege.active-recording.can-use

- Default Value: true
- Valid Values: true, false
- Changes take effect: When the session is started or restarted.
- Description: Allows agents to use the Active Recording functionality. **Note:** Do not set up this same recording option under both the `crm-adapter` section and the `interaction-workspace` section. In the case where both options are available, Genesys recommends recording be set up in the `interaction-workspace` section only.