



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Web Services API Reference

DoNotDisturbOn

12/12/2025

---

## Contents

- [1 DoNotDisturbOn](#)
  - [1.1 Overview](#)
  - [1.2 Parameters](#)
  - [1.3 Sample](#)

# DoNotDisturbOn

This operation is part of the [Supervisor Agent State Control API](#) section of the [Web Services API](#).

## Overview

With this request, the supervisor can turn on the Do Not Disturb status for the agent.

<b>Request URL</b>	/api/v2/users/{userId}/channels/{channelId}
<b>HTTP method</b>	POST
<b>Required features</b>	api-supervisor-agent-control

Valid values for channelId are chat, email, and other defined media types. Do Not Disturb is not applicable for the voice channel.

## Parameters

Parameter	Value
operationName	DoNotDisturbOn

## Sample

### Request

```
POST api/v2/users/2d96456349284f45b6bc58790ccbd729/channels/chat
{
  "operationName": "DoNotDisturbOn"
}
```

### HTTP response

```
{
  "statusCode": "0",
}
```

### Notification

The agent whose state has been updated receives notification:

---

```
{
  "channel": "/v2/me/channels",
  "data": {
    "channels": [
      {
        "channel": "chat",
        "dndState": "On",
        "userState": {
          "displayName": "Ready",
          "id": "9430250E-0A1B-421F-B372-F29E69366DED",
          "state": "Ready"
        }
      }
    ],
    "messageType": "ChannelStateChangeMessageV2"
  }
}
```