

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

Send

Send

This operation is part of the Email API section of the Web Services API.

Overview

Sends an outbound email.

The agent can perform this operation after creating a new outbound reply email.

| Request URL | /api/v2/me/emails/{id} |
|-------------------|------------------------|
| HTTP Method | POST |
| Required Features | api-multimedia |

Parameters

| Parameter | Value |
|---------------|--|
| operationName | Send |
| queueName | The job queue for handling the send operation. (required) |
| email | Specified data with email parameters. (required) |
| saveLAR | Possible values are true or false. If true, information about the agent performing the operation is set in the Contact Profile so that it can be used for last agent routing. (optional) |

Email Parameters

| Parameter | Value |
|-----------------|---|
| subject | A summary of the text. |
| bodyAsPlainText | The actual message to send. Plain text body |
| body | The actual message to send. Html body |
| mime | Multipurpose internet mail extensions. (optional) |
| to | One or more target email addressses. (requered) |
| from | The email's displayed address or origin. (requered) |
| сс | The address you would like "copied" to the email. When there are multiple addresses, they must be comma delimited. (optional) |

| Parameter | Value |
|-----------|---|
| bcc | The address you would like "blind copied" to the email. When there are multiple addresses, they must be comma delimited. (optional) |

Sample

Request

```
POST api/v2/me/emails/0071023821aec011
     "operationName": "Send",
"queueName": "Forwarde-mails",
     "email": {
          "body": "Feelslikegood.",
          "to": [
                "qwerty@gplus-w2k3-gf80",
                "bruce.one@witcher.xyz"
          ],
"from": "htcc@gplus-w2k3-gf80",
"subject": "HelloEmail"
 }
or
POST api/v2/me/emails/0071023821aec011
     "operationName": "Send",
"queueName": "Forwarde-mails",
     "email": {
           "body": "Feelslikegood.",
          "to": [
    "qwerty@gplus-w2k3-gf80",
    "bruce.one@witcher.xyz"
          ],
"cc": [
"alan.key@bestbuy.com"
          ],
"bcc": [
               "brad.johnson@bestbuy.com"
          ],
"from": "htcc@gplus-w2k3-gf80",
"subject": "HelloEmail"
 }
```

Response

```
{
    "statusCode": 0
}
```

Notification

Here are the list of notifications received after send new message

Notification with new message