



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Web Edition Developer's Guide and API Reference

Media Namespace

12/14/2025

Media Namespace

Contents

- [1 Media Namespace](#)
 - [1.1 Methods](#)
 - [1.2 Type Definitions](#)

Methods

The Media namespace includes the following methods:

- [getMediaList](#)
- [getMediaByName](#)
- [setState](#)

getMediaList

Signature	<static> getMediaList() → {Array.< media.Media >}
Description	Get the list of media with attributes.
Returns	Array.< media.Media >

getMediaByName

Signature	<static> getMediaByName(<i>name</i>)		
Description	Get the media attributes.		
Parameters	Name	Type	Description
	name	string	The media name.

setState

Signature	<static> setState(<i>name</i> , <i>stateOperationName</i>)		
Description	Sets the media state.		
Parameters	Name	Type	Description
	name	string	The media name.
	stateOperationName	string	An operationName from the agent states list. See State .

Type Definitions

The Media namespace includes the following object types:

- [Media](#)
- [State](#)
- [Device](#)

Media

Description	Represents the JSON structure of a media.		
Type	Object		
Properties	Name	Type	Description
	name	string	The media name.
	state	media.State	The media state object.

State

Description	Represents the JSON structure of a media state.		
Type	Object		
Properties	Name	Type	Description
	type	string	The type of operation. Possible values are:
			• LOGOUT • READY • PARTIAL_READY * • NOT_READY • NOT_READY_ACTION_CODE • NOT_READY_AFTER_CALLW • NOT_READY_AFTER_CALLW • DND_ON • OUT_OF_SERVICE *

Description	Represents the JSON structure of a media state.		
	Name	Type	Description
			• LOGOUT_DND_ON * • UNKNOWN *
	displayName	string	The display name of the state.
	operationName	string	The operation name to use with <code>agent.setState</code> and <code>media.setState</code> .

* States that are limited to an event and can't be applied by code

Device

Description	Represents the JSON structure of a media.		
Type	Object		
Properties	Name	Type	Description
	number	string	The phone number configured for an agent - the physical DN. Note: This property is applicable only for voice data.
	dynamicPhoneNumber	string	The dynamic phone number configured for the agent for the session. Note: This property is applicable only for voice data. This property is applicable only when there is an alternate phone number and

Description		Represents the JSON structure of a media.	
		Name	Type
			Description
		applicable for the current session only.	