



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Interaction Concentrator Deployment Guide

The Interaction Concentrator Components and What They Do

5/5/2025

# The Interaction Concentrator Components and What They Do

Interaction Concentrator consists of a server, known as the **ICON Server** or simply ICON, and the **Interaction Database (IDB)**.

## ICON

This section provides a high-level overview of how ICON handles data.

### Data Preprocessing

ICON preprocesses events received from Configuration Server, T-Server, Interaction Server, and Outbound Contact Server (OCS), according to the role configured for the ICON instance. Preprocessing occurs in the in-memory queue (accumulator).

You can configure the size of the in-memory queue or the interval at which data is written from it to the persistent queue. You can also configure the total number of keep-in-memory interactions that can reside concurrently in an interaction queue or interaction workbin. (This functionality requires Interaction Server release 7.6.1 or higher.)

For more information about the relevant configurations, refer to the following options:

- `acc-proc-tout`
- `acc-queue-lifespan`
- `acc-queue-size`

### Data Preparation and Writing

Once data is processed in the in-memory queue, ICON performs the following functions:

- Writes the data from the in-memory queue to the persistent queue and persistent caches.
- Manages the data in the persistent queue and persistent caches.
- Writes data from the persistent queue into IDB.
- Writes data from the persistent cache for configuration data (**cfg-sync.db**) into IDB.

### The Persistent Queue (PQ) File

The persistent queue is a file that ICON creates and uses to store data before writing it to IDB. The

persistent queue also stores information about requests to write data to IDB. Data in the persistent queue survives a shutdown and restart of ICON. The size of the persistent queue is not formally limited by ICON, but the operating system may impose some limitations.

### Important

To reduce the possibility that Interaction Concentrator might lose connection with the **pq** file you are required to locate it on a local drive rather than a network or removable drive.

Each ICON instance creates its own persistent queue file (default name **icon.pq**), which stores data for all the roles that are configured for that ICON. For more information, see [ICON Roles](#).

### Persistent Queue Configuration Options

ICON configuration options enable you to specify:

- The file name of the persistent queue.
- The frequency (in terms of number of committed transactions) with which ICON clears data out of the persistent queue.
- Thresholds for environment failure alarms.
- The alarm thresholds can be used to monitor ICON performance.
- Persistent queue behavior at startup.

For more information, see the descriptions of the following options, which control persistent queue behavior:

- agent-pstorage-name
- cfg-dbname
- pq-backlog-alarm-threshold
- pq-backlog-clearance-threshold
- pq-dbname
- pq-purge-number
- pq-startup-check
- pq-startup-purge

### Persistent Caches for Configuration and Login Session Data

In addition to the regular persistent queue, the ICON instance that performs the **cfg** role creates and maintains a persistent cache for configuration data. The name of the persistent cache for configuration data is **cfg-sync.db** and it cannot be changed.

The **cfg-sync.db** persistent cache plays an important role in maintaining IDB synchronization with the Configuration Database. ICON keeps a timestamp in the persistent cache for configuration data

changes and, on startup, requests from Configuration Server all configuration changes that occurred after that timestamp.

- For more information about how the persistent queue and the **cfg-sync.db** persistent cache work to maintain up-to-date configuration information, see [Populating Configuration Data](#).
- For recommendations about best practices regarding synchronization, see [Resynchronization](#).

### Persistent Cache for Agent Login Session Data

In addition to the regular persistent queue, the ICON instances that perform the **gcc**, **gls**, and **gud** roles create and maintain a persistent cache for agent login session data. In High Availability (HA) deployments, ICON uses this cache to prevent duplicate storage of agent login sessions in IDB and to prevent stuck login sessions. For more information, see [Agent States and Login Sessions](#).

A configuration option, `agent-pstorage-name`, enables you to specify the name of this persistent cache. The default file name is **apstorage.db**.

## IDB

The Interaction Database (IDB) stores data about contact center interactions and resources at a granular level of detail. IDB is a database optimized for storage (in other words, primarily for inserting data). Interaction Concentrator itself does not provide a reporting facility. You can use IDB as a consistent and reliable data source for downstream reporting applications.

- For a high-level description of the IDB architecture, see [Introducing IDB Schema](#).
- For a complete table structure and descriptions of all IDB tables and fields, see the *Interaction Concentrator 8.1 Physical Data Model* document for your particular relational database management system (RDBMS).

## Stored Procedures

Interaction Concentrator uses a number of stored procedures. Most of these are entirely internal to Interaction Concentrator functioning. Therefore detailed information about them is not relevant for end users.

Most stored procedure names start with a schema-specific prefix, so that they constitute a schema-specific package. Each ICON 8.1.x version works only with the stored procedures package for the associated schema. This streamlines future migration by reducing the number and combinations of scripts that must be executed to upgrade the required stored procedures. A wrapper script links the stored procedures that are exposed for end-user use to the equivalent stored procedures in each schema-specific set.

- For more information about these stored procedures, refer to [Using Special Stored Procedures](#).

The following stored procedures are exposed for end-user use and require user input or action:

### Purge Procedures

There are a number of alternative procedures for purging IDB. For a detailed discussion of purge procedures, see [Purge Stored Procedures](#) in the *Interaction Concentrator User's Guide*.

- **gsysPurge80/gsysPurge81**—Safely purges voice and multimedia interactions; attached data; agent login session data; and Outbound Contact data from IDB. The version of this purge procedure corresponds with the Interaction Concentrator release you are using.
  - The gsysPurge81 purge procedure has been renamed to GSYPurge81Common; however, the wrapper name, GSYPurge81, remains the same as in previous releases, so you do not need to change scripts as a result of this update.
- **purgePartitions811**—In a partitioned IDB, this purge procedure clears the database by truncating all except the specified number of days/partitions in all affected tables. It also retains a default additional partition for “tomorrow.”
  - The purgePartitions811 procedure is supported only for IDBs running Oracle 11 or higher.
  - Genesys recommends that you do not use the purgePartitions811 purge procedure on IDBs containing long-living data, such as multimedia IDBs.
- **gsysPurgeIR, gsysPurgeUDH, gsysPurgeLS, and gsysPurgeOS**—Safely purge voice interactions, user data history, agent login session, and Outbound Contact data, respectively, from IDB.
  - These separate purge procedures were discontinued in release 8.1.503.03. If you are using Interaction Concentrator 8.1.503.03 or higher, use gsysPurge81 or (in Oracle environments) purgePartitions811.

#### Important

These procedures purge all tables that accumulate eventually-obsolete data. However, they do not purge all tables. For a list of tables that are purged, see [Tables Purged by the Purge Stored Procedures](#).

### Custom Dispatchers

The following stored procedures customize attached data processing.

- gudCustDISP1
- gudCustDISP2

### Merge Procedures

#### Important

Genesys Info Mart 8.x performs its own merge procedure and does not use the Interaction Concentrator merge procedures.

The following merge procedures finalize data processing of closed single-site and multi-site interactions:

- gsysIRMerge and gsysIRMerge2

The following procedure resets the merge procedure to recover from a failed state:

- gsysIRMergeReset

### Time-Setting

The following stored procedure populates the G\_TIMECODE table to enable time-interval reporting:

- gsysInitTimeCode